Building Technologies Program

Tax Deduction Qualified Software EnergyPlus version 7.0.0.036

On this page you'll find information about the EnergyPlus version 7.0.0.036 <u>qualified computer software</u> (<u>www.buildings.energy.gov/qualified software.html</u>), which calculates energy and power cost savings that meet federal tax incentive requirements for commercial buildings.

Date Documentation Received by DOE: 19 December 2011

| | Statements in quotes are from the software developer. | |
|---|--|--|
| Internal Revenue Code §179D (c)(1) and (d) Regulations Notice 2006-52, Section 6 requirements as amplified by Notice 2008-40, Section 4 requirements. | | |
| (1) The name, address, and (if applicable) web site of the software developer; | U. S. Department of Energy EE-2J, Building Technologies Program 1000 Independence Avenue, SW Washington, DC 20585-0121 http://www.energyplus.gov | |
| (2) The name, email address, and telephone number of the person to contact for further information regarding the software; | Brent T. Griffith <u>Brent.Griffith@nrel.gov</u> (303)384-7395 | |
| (3) The name, version, or other identifier of the software as it will appear on the list; | EnergyPlus Version 7.0.0.036 | |
| (4) All test results, input files, output files, weather data, modeler reports, and the executable version of the software with which the tests were conducted; and | Provided to DOE | |
| (5) A declaration by the developer of the software, made under penalties of perjury, that— | "On behalf of the EnergyPlus development team I certify the following:" | |
| (a) The software has been tested according to ANSI/ASHRAE Standard 140-2007 Standard Method of Test for the Evaluation of Building Energy Analysis Computer Programs; | "The software has been tested according to ANSI/ASHRAE Standard 140-2007 Standard Method of Test for the Evaluation of Building Energy Analysis Computer Programs." | |
| (b) The software can model explicitly— | "The EnergyPlus software is fully compliant with ASHRAE 90.1-2001 and meets all of the below requirements." | |
| (i) 8,760 hours per year; | "The EnergyPlus software complies." | |
| (ii) Calculation methodologies for the building components being modeled; | "The EnergyPlus software complies." | |
| (iii) Hourly variations in occupancy, lighting power, miscellaneous equipment power, thermostat setpoints, and HVAC system operation, defined separately for each day of the week and holidays; | "The EnergyPlus software complies." | |
| (iv) Thermal mass effects; | "The EnergyPlus software complies." | |
| | | |

| (v) Ten or more thermal zones; | "The EnergyPlus software complies." |
|---|--|
| (vi) Part-load performance curves for mechanical equipment; | "The EnergyPlus software complies." |
| (vii) Capacity and efficiency correction curves for mechanical heating and cooling equipment; and | "The EnergyPlus software complies." |
| (viii) Air-side and water-side economizers with integrated control. | "The EnergyPlus software complies." |
| (c) The software can explicitly model each of the follow 90.1-2004: | ving HVAC systems listed in Appendix G of Standard |
| (i) Packaged Terminal Air Conditioner (PTAC) (air source), single-zone package (through the wall), multi-zone hydronic loop, air-to-air DX coil cooling, central boiler, hot water coil. | "The EnergyPlus software models this system." |
| (ii) Packaged Terminal Heat Pump (PTHP) (air source), single-zone package (through the wall), air-to-air DX coil heat/cool. | "The EnergyPlus software models this system." |
| (iii) Packaged Single Zone Air Conditioner (PSZ- AC), single-zone air, air-to-air DX coil cool, gas coil, constant-speed fan. | "The EnergyPlus software models this system." |
| (iv) Packaged Single Zone Heat Pump (PSZ-HP), single-zone air, air-to-air DX coil cool/heat, constant-speed fan. | "The EnergyPlus software models this system." |
| (v) Packaged Variable-Air-Volume (PVAV) with reheat, multi-zone hydronic loop, air-to-air DX coil, VAV fan, boiler, hot water VAV terminal boxes. | "The EnergyPlus software models this system." |
| (vi) Packaged Variable-Air-Volume with parallel fan powered boxes (PVAV with PFP boxes), multi- zone air, DX coil, VAV fan, fan-powered induction boxes, electric reheat. | "The EnergyPlus software models this system." |
| (vii) Variable-Air-Volume (VAV) with reheat, multi- zone air; multi-zone hydronic loop, air-handling unit, chilled water coil, hot water coil, VAV fan, chiller, boiler, hot water VAV boxes. | "The EnergyPlus software models this system." |
| (viii) Variable-Air-Volume with parallel fan powered boxes (VAV with PFP boxes), multi-zone air, air-handling unit, chilled water coil, hot water coil, VAV fan, chiller, fan-powered induction boxes, electric reheat. | "The EnergyPlus software models this system." |
| (d) The software can— | |
| (i) Either directly determine energy and power costs or produce hourly reports of energy use by energy source suitable for determining energy and power costs separately; and | "The EnergyPlus software complies." |
| (ii) Design load calculations to determine required HVAC equipment capacities and air and water flow rates. | "The EnergyPlus software complies." |
| (e) The software can explicitly model: | |

| (i) Natural ventilation. | "The EnergyPlus software models natural ventilation." |
|--|--|
| (ii) Mixed mode (natural and mechanical) ventilation. | "The EnergyPlus software models mixed mode ventilation." |
| (iii) Earth tempering of outdoor air. | "The EnergyPlus software models earth tempering of outdoor air." |
| (iv) Displacement ventilation. | "The EnergyPlus software models displacement ventilation." |
| (v) Evaporative cooling. | "The EnergyPlus software models evaporative cooling." |
| (vi) Water use by occupants for cooking, cleaning or other domestic uses. | "The EnergyPlus software models water use by occupants." |
| (vii) Water use by heating, cooling, or other equipment, or for on-site landscaping. | "The EnergyPlus software models water use by heating, cooling, and other equipment as well as for on-site landscaping." |
| (viii) Automatic interior or exterior lighting controls (such as occupancy, photocells, or time-clocks). | "The EnergyPlus software models automatic interior and exterior lighting controls." |
| (ix) Daylighting (sidelighting, skylights, or tubular daylight devices). | "The EnergyPlus software models sidelighting, skylights, and tubular daylighting devices." |
| (x) Improved fan system efficiency through static pressure reset. | "The EnergyPlus software models improved fan system efficiency through static pressure reset." |
| (xi) Radiant heating or cooling (low or high temperature). | "The EnergyPlus software models low and high temperature radiant heating and cooling." |
| (xii) Multiple or variable-speed control for fans, cooling equipment, or cooling towers. | "The EnergyPlus software models multiple and variable-speed control for fans, cooling equipment, and cooling towers." |
| (xiii) On-site energy systems (such as combined heat and power systems, fuel cells, solar photovoltaic, solar thermal, or wind). | "The EnergyPlus software models on-site energy systems including combined heat and power, photovoltaic systems, and solar water and air systems." |

Date Posted: 19 December 2011

Tax Deduction Qualified Software — <u>www.buildings.energy.gov/qualified software.html</u>