PMC-EF2a

(2.06.02)

U.S. DEPARTMENT OF ENERGY EERE PROJECT MANAGEMENT CENTER NEPA DETERMINATION



RECIPIENT: Wisconsin Office of Energy Independence

STATE: WI

PROJECT TITLE:

Cardinal Glass-Photovoltaic Glass Production RENEWEGU

Funding Opportunity Announcement Number DE-FOA0000052

EE0000163

Procurement Instrument Number NEPA Control Number CID Number GFO-10-147-003

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

B5.1 Actions to conserve energy, demonstrate potential energy conservation, and promote energy-efficiency that do not increase the indoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, designers), organizations (such as utilities), and state and local governments. Covered actions include, but are not limited to: programmed lowering of thermostat settings, placement of timers on hot water heaters, installation of solar hot water systems, installation of efficient lighting, improvements in generator efficiency and appliance efficiency ratings, development of energy-efficient manufacturing or industrial practices, and small-scale conservation and renewable energy research and development and pilot projects. The actions could involve building renovations or new structures in commercial, residential, agricultural, or industrial sectors. These actions do not include rulemakings, standard-settings, or proposed DOE legislation.

Rational for determination:

This NEPA determination (GFO-10-147-002) is a result of prior NEPA determination (GFO-09-224) and lifts a condition placed on Market Title Clean Energy Supply Chain Development. Wisconsin's Office of Energy Independence would pass DOE funding to Renewegy, LLC.

Renewgy's facility in Portage, WI would use a \$525K SEP loan for nventory including generators and actuators for 20kW wind turbine and the assembly line hoist and electronic dynomometers for the product launch phase

No new permits, licenses or approvals will be needed for the expenditures of these funds.

Waste Stream Requirements

Prior to the expenditure of Federal funds to implement any of the above-mentioned activities, the State of Wisconsin has the affirmative responsibility to ensure or certify that it has been provided by its sub-recipients a waste management plan addressing waste generated by their proposed actions. The plan will describe the sub-recipients plan to dispose of any sanitary or hazardous waste, e.g. construction and demolition debris, old light bulbs, lead ballasts, piping, roofing materials, discarded equipment, debris, asbestos, etc. generated as a result of the proposed project. The sub-recipients must ensure that it will comply with all federal, state and local regulations for waste disposal.

NHPA Requirements

Prior to the expenditure of Federal funds to implement any of the above activities, the Sate of Wisconsin has the affirmative responsibility to ensure the sub-recipient is in compliance with Sec. 106 of the National Historic Preservation Act (NHPA), consistent with DOE's 2009 letter of delegation of authority regarding the NHPA. If applicable, the sub-recipient must contact the State Historic Preservation Officer.

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

Note to Specialist:

None Given.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS	DECISION.
NEPA Compliance Officer Signature: NEPA Compliance Officer	Date:
FIELD OFFICE MANAGER DETERMINATION	
☐ Field Office Manager review required	
NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLO	WING REASON:
 □ Proposed action fits within a categorical exclusion but involves a high profile or con Manager's attention. □ Proposed action falls within an EA or EIS category and therefore requires Field Office. 	ce Manager's review and determination.
BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE N	a baneva 2 minimungyop tapat bos
Field Office Manager's Signature: Field Office Manager	Date:
the relativistics, standard settings, or proposed DOE segalation 47-002) in a result of prior IVEPA defarmination (GPO-09-224) and line of	
note to implement any of the above-mentioned activides, the State of Wisconsin function deathy that it has been previously its sub-marginality and the sub-recipients governed by their proposed actions. The plum will deaches the sub-recipients particular waste, a a strengthen and demolition details, old light bulbs, lead contain acquirement, details, astrostos, etc. generated as a result of the proposed methanic will comply with all fedural, state and tocal regulations for waste	Visite Shaam Requirements Prior to the examplian of Federal til new the efficient responsibility to er management olen subspecimy waster plan to displace of any tatrilary or had beflete, paging, recting materials, dis project. The sub-recipients must ensi- disposel.