

## SECURITY ACTIVITY CLOSEOUT CERTIFICATION

Contractor Name: \_\_\_\_\_

Contract Vehicle No.: \_\_\_\_\_

1. ☐ There was no on-site classified matter or special nuclear material associated with this contract vehicle.

☐ The following were possessed under this contract vehicle (check items):

\_\_\_\_ Classified documents  
\_\_\_\_ Classified material  
\_\_\_\_ Special Nuclear Material

All classified documents and material or special nuclear material originated and received in connection with work performed under this contract vehicle have been returned to authorize representatives of the Department of Energy (DOE) or disposed of in accordance with DOE security requirements.

☐ Documents containing Unclassified Controlled Nuclear Information (UCNI) and/or Official Use Only (OUO) have been returned to authorize representatives of the Department of Energy (DOE) or disposed of in accordance with DOE regulations.

2. ☐ All personnel security clearances associated with this contract vehicle have been terminated in accordance with security requirements.

☐ The following information is provided for all personnel security clearances that are required to be retained due to work on another active contract vehicle that requires access authorization:

Name of persons who held security clearances under subject contract vehicle	Security clearance has been terminated		Security clearance retained because of work on the following <b>active</b> contract vehicle(s)
	Yes	No	

(Add additional page if necessary)

.....

\_\_\_\_\_  
Facility Security Officer Signature

\_\_\_\_\_  
Headquarters Security Officer Signature

\_\_\_\_\_  
Typed Name of Facility Security Officer

\_\_\_\_\_  
Typed Name of Headquarters Security Officer

\_\_\_\_\_  
Date

\_\_\_\_\_  
Date

## SECURITY ACTIVITY CLOSEOUT CERTIFICATION – Cont.

Name of persons who held security clearances under subject contract vehicle	Security clearance has been terminated		Security clearance retained because of work on the following <b>active</b> contract vehicle(s)
	Yes	No	