





## **Appendix B VFT Design Drawings**

---





CLASS "A" CAR PROP EXPLODED PART DETAILS  
NOT TO SCALE


PROJECT NUMBER:	00-W-000	REVISION DATES
PROJECT ERECTOR:		1
DRAWN BY:	JPK	2
REVIEWED BY:	REP	3
PRINT DATE:	1-24-13	4

CLASS "A" CAR PROP  
EXPLODED COMPONENT DETAIL

THIS DRAWING IS THE PROPERTY OF TRAINING TOWERS, INC. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF TRAINING TOWERS, INC. THE USER OF THIS DRAWING AGREES TO HOLD TRAINING TOWERS, INC. HARMLESS FROM AND AGAINST ALL LIABILITY, DAMAGES, LOSSES, AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, THAT MAY BE INCURRED BY TRAINING TOWERS, INC. OR ANY OF ITS EMPLOYEES, AGENTS, OR CONTRACTORS, AS A RESULT OF THE USER'S USE OF THIS DRAWING.


**1ST ALARM - FOUR STORY  
FIRE TRAINING SIMULATOR**

FIRE DEPARTMENT TRAINING SIMULATOR



A DIV. OF J.S.C. INC

9121 BOND OVERLAND PARK, KS 66214  
TEL: 913-385-3663 FAX: 913-385-7078  
TOLL FREE 1-800-351-2525 www.trainingtowers.com



BATTERY SKID #1

BATTERY SKID #2

THESE DRAWINGS, SPECIFICATIONS, NOTES, CONDITIONS, AND REQUIREMENTS ARE THE PROPERTY OF TRAINING TOWERS, INC. AND ARE TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE, REPRODUCTION, OR MODIFICATION OF THESE DRAWINGS WITHOUT THE WRITTEN CONSENT OF TRAINING TOWERS, INC. IS STRICTLY PROHIBITED.

PROJECT NUMBER:	00-W-000	REVISION DATES
PROJECT ERECTOR:		1 1-24-13
DRAWN BY:	JPK	2
REVIEWED BY:	REP	3
PRINT DATE:	12-26-12	4

CLASS "A" CAR PROP

**1ST ALARM - FOUR STORY  
FIRE TRAINING SIMULATOR**

FIRE DEPARTMENT TRAINING SIMULATOR

**w|h|p** trainingtowers.com  
 A DIV. OF J.S.C. INC  
 9121 BOND OVERLAND PARK, KS 66214  
 TEL: 913-385-3663 FAX: 913-385-7078  
 TOLL FREE 1-800-351-2525 www.trainingtowers.com

## **Appendix C Microbac Laboratories Report**

---



**Microbac Laboratories, Inc.**  
 Baltimore Division  
 2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800  
 Fax: 410-633-6553  
 www.microbac.com

**COVER LETTER**

Ben Cottis  
 Exponent  
 4901 Telsa Drvie Suite L  
 Bowie, MD 20715  
 RE: General Analysis

April 23, 2013  
 Report No.: 13D1376

The report of analyses contains test results for samples received at Microbac Laboratories, Inc., Baltimore Division on 04/17/2013 12:20.

The enclosed results were obtained from and applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report has been reviewed and meet the applicable project and certification specific requirements, unless otherwise noted.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories, Inc.

We appreciate the opportunity to service your analytical needs. If you have any questions, please feel free to contact us.

This Data Package contains the following:

- This Cover Page
- Sample Summary
- Test Results
- Certifications/Notes and Definitions
- Cooler Receipt Log
- Chain of Custody

4/23/2013

Final report reviewed by:

Mark B. Horan/Laboratory Director

Report issue date

*All samples received in proper condition and results conform to ISO 17025 and TNI NELAC standards unless otherwise noted.*

*If we have not met or exceeded your expectations, please contact Mark Horan, Managing Director, at 410-633-1800 You may also contact Sean Hyde, Chief Operating Officer at [sean.hyde@microbac.com](mailto:sean.hyde@microbac.com) or James Nokes, President [james.nokes@microbac.com](mailto:james.nokes@microbac.com)*



**Microbac Laboratories, Inc.**

Baltimore Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800

Fax: 410-633-6553

www.microbac.com

**CERTIFICATE OF ANALYSIS**

Exponent 4901 Telsa Drvie Suite L Bowie, MD 20715	Project: General Analysis Project Number: FPRF Response, 1205174.000 Project Manager: Ben Cotts	Report: 13D1376 Reported: 04/23/2013 13:38
---	---	---

**SAMPLE SUMMARY**

Sample ID	Laboratory ID	Matrix	Type	Date Sampled	Date Received
Control Water Sample	13D1376-01	Water	Not Specified	03/27/2013 15:00	04/17/2013 12:20

Microbac Laboratories, Inc., Baltimore Division

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Mark B. Horan, Laboratory Director

**Original Lab Report**



**Microbac Laboratories, Inc.**

Baltimore Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800

Fax: 410-633-6553

www.microbac.com

**CERTIFICATE OF ANALYSIS**

Exponent 4901 Telsa Drvie Suite L Bowie, MD 20715	Project: General Analysis Project Number: FPRF Response, 1205174.000 Project Manager: Ben Cotts	Report: 13D1376 Reported: 04/23/2013 13:38
---	---	---

**Control Water Sample**

**13D1376-01 (Water) Sampled: 03/27/2013 15:00; Type: Not Specified**

Analyte	Result	Reporting		Units	Prepared	Analyzed	Analyst	Method	Notes
		Limit							

**Microbac Laboratories, Inc., Baltimore Division**

**Wet Chemistry**

<b>Conductivity</b>	<b>190</b>	10	umhos/cm	042213 1010	042213 1010	VAS	SM (20) 2510B
---------------------	------------	----	----------	-------------	-------------	-----	---------------

Microbac Laboratories, Inc., Baltimore Division

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Mark B. Horan, Laboratory Director

**Original Lab Report**



# Microbac Laboratories, Inc.

Baltimore Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800

Fax: 410-633-6553

www.microbac.com

## CERTIFICATE OF ANALYSIS

Exponent 4901 Telsa Drvie Suite L Bowie, MD 20715	Project: General Analysis Project Number: FPRF Response, 1205174.000 Project Manager: Ben Cottis	Report: 13D1376 Reported: 04/23/2013 13:38
---	--	---

### Project Requested Certification(s):

State of Pennsylvania (NELAC)

### Analyte Certification Exception Summary

No certification exceptions

All analysis performed were analyzed under the required certification unless otherwise noted in the above summary.

### Certification List

Below is a list of certifications maintained by Microbac Laboratories, Inc. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. A complete list of individual analytes pursuant to each certification below is available upon request.

Code	Description	Certification Number	Expires
<b>Microbac Laboratories, Inc., Baltimore Division</b>			
A2LA1	A2LA (Biology)	410.02	04/30/2013
A2LA2	A2LA (Environmental)	410.01	04/30/2013
VA-B	Commonwealth of Virginia (NELAC) - Baltimore	460170-1829	06/14/2013
CPSC	CPSC Testing of Childrens Products and Jewelry	1115	04/30/2013
Pb	Environmental Lead (ELLAP)	410.01	04/30/2013
NJ	New Jersey	NLC120001	06/30/2013
MD	State of Maryland (Drinking Water)	109	06/30/2013
PA	State of Pennsylvania (NELAC)	68-00339	08/31/2013
USDA	US Department of Agriculture	P330-09-00021	02/19/2012
WV	West Virginia	054	08/31/2013
<b>Microbac Laboratories, Inc., Richmond Division</b>			
VA-R	Commonwealth of Virginia (NELAC) - Richmond	460022-1834	06/14/2013

Microbac Laboratories, Inc., Baltimore Division

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Mark B. Horan, Laboratory Director

Original Lab Report



**Microbac Laboratories, Inc.**

Baltimore Division

2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800

Fax: 410-633-6553

www.microbac.com

**CERTIFICATE OF ANALYSIS**

Exponent  
4901 Telsa Drvie Suite L  
Bowie, MD 20715

Project: General Analysis  
Project Number: FPRF Response, 1205174.000  
Project Manager: Ben Cotts

Report: 13D1376  
Reported: 04/23/2013 13:38

**Qualifiers/Notes and Definitions**

***General Definitions:***

DET Analyte DETECTED  
ND Analyte NOT DETECTED at or above the reporting limit  
dry Sample results reported on a dry weight basis  
RPD Relative Percent Difference



**Microbac Laboratories, Inc.**  
Baltimore Division  
2101 Van Deman Street • Baltimore, MD 21224

Phone: 410-633-1800  
Fax: 410-633-6553  
www.microbac.com

### Cooler Receipt Log

---

<b>Cooler ID:</b> Default Cooler	<b>Cooler Temp:</b> 23.20 °C	<b>Work Order:</b> 13D1376
Custody Seals Intact: Yes	COC/Containers Agree: Yes	
Containers Intact: Yes	Correct Preservation: Yes	
Received On Ice: Yes	Correct Number of Containers Received: Yes	
Radiation Scan Acceptable: Yes	Sufficient Sample Volume for Testing: Yes	
COC Present: Yes	Samples Received in Proper Condition: Yes	

---

**Comments:**



Microbac Laboratories Inc., Baltimore Division

2101 Van Deman St, Baltimore, MD 21224

Tel: 410-633-1800

Fax: 410-633-6553

www.microbac.com

Instructions for completing the Chain of Custody Record on back.

Chain of Custody Record

Customer Name: Benjamin Cotts, Address: 17000 Science Drive, Suite 200, Bowie, MD 20715

Project Manager Name: Andrew Blum, Phone: (301) 291-2515, Email: ablum@exponent.com

Turn Around Time: Normal (selected), RUSH\*, Needed By: [ ]

Compliance: Yes, No (selected), Agency: [ ]

QC Level: I (selected), II\*\*, III\*\*, IV\*\*

Project Information Name: FPRF Response, Number: 1205174.000, PO: [ ]

Sampler Name: [ ], Phone: [ ], Cert ID:\*\*\* [ ]

Report Options: EDD [ ], Email: ablum@exponent.com (checked), Fax [ ]



Table with columns: Client Sample ID, Matrix\*\*\*\*, Grab, Composite, Filtered, Date Collected, Time Collected, No. of Containers, Water Conductivity, Requested Analysis, Comments. Row 1: Control Water Sample, 03/27/13, 15:00, 1, [checkmark]

Possible Hazard Identification: Hazardous [ ], Non-Hazardous (selected), Radioactive [ ] Sample Disposition: Dispose as appropriate (selected), Return [ ], Archive [ ]

Table with columns: Number of Containers, Cooler Number, Sampled By (signature), Relinquished By (signature), Printed Name/Affiliation, Date/Time, Received By (signature), Printed Name/Affiliation. Includes handwritten signatures and dates like 4/11/2013 and 4/17/13/22.

\* Please notify lab prior to drop off. \*\* Surcharge May Apply to add'l QC Packages. \*\*\* Sampler certification ID needed for some agencies.

\*\*\*\* Matrix Types: Air(A), Childrens Product(CP), Food(F), Paint(P), Soil/Solid (S), Oil(O), Wipe(WI), Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

## MATERIALS CHARACTERIZATION REPORT

**Report No.:** 1304.17 **Date:** April 15, 2013

**Customer:** Elizabeth Keller  
Exponent  
17000 Science Drive  
Bowie, MD 20715

**Customer P.O.:** 1205174

**Samples:** Three Aqueous Samples

- Control 3/27/13
- Test 3 3/28/13
- Test 6 4/3/13

**Objective:** Determine and Compare the pH, Total Organic, Total Inorganic Carbon, Chloride, Fluoride and the Metals Concentrations of the Three Aqueous Solutions

## SUMMARY

The pH and elemental analysis results found for the three aqueous solutions are listed in the Summary Table.

**Summary Table**

Element/Assay	Concentration (ppm)		
	Control	Test 3	Test 6
pH	7.82	6.18	7.31
Total Organic C	1.3	150	360
Total Inorganic C	7.3	7.7	21
Chloride	34	143	60
Fluoride	0.7	27	33
Li	< 0.005	0.25	3.60
P	< 1.0	7.5	11
Ca	23	72	42
Na	13	19	17
Mg	4.8	6.9	7.0
K	2.4	6.0	4.8
Sr	0.08	4.5	0.44
Al	0.01	3.0	1.0
Fe	0.09	0.72	0.17
Ba	0.02	0.61	0.27
B	0.01	0.05	1.8
Zn	< 0.005	29.0	2.7
Mn	< 0.005	0.27	4.6
Sb	< 0.002	0.70	0.70
Ni	< 0.010	0.05	0.69
Co	< 0.005	0.02	0.76
Cu	< 0.005	0.15	0.14
As	< 0.010	< 0.010	< 0.010
V	< 0.002	0.002	0.003

The majority of elemental concentrations have been rounded to two significant figures to simplify the comparison. All solids were filtered from the solution before analyses of the filtrate. And are not included these results.

The elements are grouped as carbon, chloride/fluoride anion (not total Cl/F), lithium/phosphorus and roughly descending amounts of the metals.

Only the Test 3 solution exhibits a slightly acidic pH (6.2) value. While it is possible that the low levels of chloride (143 ppm) and fluoride (27 ppm) might have been initially present as HCl and

## INTRODUCTION

Three aqueous samples, identified as Control 3/27/13, Test 3 3/28/13 and Test 6 4/3/13, were received from E Keller on April 9<sup>th</sup>.

The objective is to determine and compare the pH, total organic, total inorganic carbon, chloride, fluoride and the metals concentrations of the three aqueous solutions.

## ANALYSIS

**Sample Preparation.** The samples were delivered in glass bottles. The Control is clear, colorless solution while Test 3 and Test 6 have a significant loading of dark particulates. All samples were filtered prior to analyses.

**pH.** Measurements for pH were obtained with a Fisher Scientific Accumet Excel XL15 pH meter. Samples were filtered prior to analysis. Samples were then stirred for at least one minute before the measurement. A 7.00 pH buffer standard was measured with the samples. A value of 6.99 was obtained. The pH results are listed in the Summary Table.

**Ion Chromatography (IC).** IC is a very effective and sensitive method for the screening and routine analysis of many cations and anions in aqueous solutions. This well-known liquid chromatographic technique separates analytes according to their affinity for the separation column packed with an ion-exchange resin of low capacity. During the analysis, the effluent from the separation column is passed through a suppressor column to neutralize the counter-ions of the eluent and thus lower its conductivity. With the high background conductivity reduced, the sample ions are detected with high sensitivity (ppb range) using conductivity detection. The separated ions are identified qualitatively based on their relative retention times within the column and quantitatively through integration of signal intensity, which is proportional to the analyte concentration.

**Instrumentation.** All analyses were performed in duplicate using a Dionex ICS-2000 Ion Chromatograph under the following conditions:

<i>Anions:</i>	Column:	IonPac <sup>®</sup> AS9-HC + IonPac <sup>®</sup> AG9-HC
	Eluent:	9.0 mM Sodium carbonate
	Flow rate:	1.0 mL/min
	Detection:	Suppressed Conductivity ASRS <sup>®</sup> 300, AutoSuppression <sup>™</sup> Recycle Mode
	Injection volume:	250 $\mu$ L

Samples were diluted 2X to nearly 1000X with deionized water. A 0.2530 ppm anion standard run with the samples and met quality control parameters of  $\pm 10\%$  (100-106% recovery). All individual chromatograms are collected in the IC Appendix. The sample data is collected in Table I and the final results listed in the Summary Table.

**Table I – Sample Data Analyses**

Analyte	Run 1	Run 2	Average	Dilution	Total (ppm)
<b><u>Control</u></b>					
Fluoride	0.3287	0.3352	0.3320	2.060	0.6838
Chloride	0.1703	0.1741	0.1722	199.6	34.37
<b><u>Test 3</u></b>					
Fluoride	0.2748	0.2713	0.2731	98.27	26.83
Chloride	0.1510	0.1570	0.1540	930.7	143.3
<b><u>Test 6</u></b>					
Fluoride	0.3707	0.3701	0.3704	88.46	32.76
Chloride	0.0758	0.0713	0.0736	813.4	59.83

**Elemental Analyses.** The ICP-MS/AES survey and total organic and inorganic carbon were performed by AnalysisNow! (Chandler, AZ). All samples were filtered prior to analysis. The

The AnalysisNow! reports are included in the Elemental Analysis Appendix.

The concentrations of only the detected elements expressed in ppm are listed in the Summary Table. No detectable amounts (> 0.002 to 0.010 ppm) of the following elements were present in any of the samples: Be, Ti, Cr, Ga, Ge, Zr, Nb, Mo, Ag, Cd, Sn, Ta, W, Au, Tl, Pb, Bi, Th and U.

As questions arise during your review of this report, please do not hesitate to call us.

ANALYZE Inc.



David De La Cruz  
Consulting Chemist & Operations Manager





Steven J. Valenty, Ph.D.  
Consulting Chemist & President




# **APPENDIX**

## **Ion Chromatography**

CALIBRATION CURVES




No.	Ret.Time min	Peak Name	Cal.Type	Points	Corr.Coeff. %	Offset	Slope	Curve
1	4.08	FLUORIDE	Lin	8	99.9926	0.0000	2.4233	0.0000
2	6.19	CHLORIDE	Lin	8	99.9627	0.0000	1.6806	0.0000
<b>Average:</b>					99.9777	0.0000	2.0520	0.0000




## 22 BLANK

Sample Name:	<b>BLANK</b>	Injection Volume:	<b>250.0</b>
Vial Number:	<b>0</b>	Channel:	<b>ECD_1</b>
Sample Type:	<b>blank</b>	Wavelength:	<b>n.a.</b>
Control Program:	<b>Anions 2000</b>	Bandwidth:	<b>n.a.</b>
Quantif. Method:	<b>Anions 2000</b>	Dilution Factor:	<b>1.0000</b>
Recording Time:	<b>4/12/2013 9:43</b>	Sample Weight:	<b>1.0000</b>
Run Time (min):	<b>25.00</b>	Sample Amount:	<b>1.0000</b>




No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
-----	-----------------	-----------	--------------	----------------	---------------	---------------	------

<b>23 BLANK</b>			
<i>Sample Name:</i>	<b>BLANK</b>	<i>Injection Volume:</i>	<b>250.0</b>
<i>Vial Number:</i>	<b>0</b>	<i>Channel:</i>	<b>ECD_1</b>
<i>Sample Type:</i>	<b>blank</b>	<i>Wavelength:</i>	<b>n.a.</b>
<i>Control Program:</i>	<b>Anions 2000</b>	<i>Bandwidth:</i>	<b>n.a.</b>
<i>Quantif. Method:</i>	<b>Anions 2000</b>	<i>Dilution Factor:</i>	<b>1.0000</b>
<i>Recording Time:</i>	<b>4/12/2013 10:11</b>	<i>Sample Weight:</i>	<b>1.0000</b>
<i>Run Time (min):</i>	<b>25.00</b>	<i>Sample Amount:</i>	<b>1.0000</b>



No.	Ret.Time min	Peak Name	Height $\mu\text{S}$	Area $\mu\text{S} \cdot \text{min}$	Rel.Area %	Amount PPM	Type
-----	-----------------	-----------	-------------------------	--	---------------	---------------	------

20 0.25 PPM CHECK STD			
Sample Name:	0.25 PPM CHECK STD	Injection Volume:	250.0
Vial Number:	0	Channel:	ECD_1
Sample Type:	unknown	Wavelength:	n.a.
Control Program:	Anions 2000	Bandwidth:	n.a.
Quantif. Method:	Anions 2000	Dilution Factor:	1.0000
Recording Time:	4/11/2013 20:44	Sample Weight:	1.0000
Run Time (min):	25.00	Sample Amount:	1.0000




No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	4.360	0.604	56.84	0.2492	BMB*
2	6.19	CHLORIDE	2.604	0.459	43.16	0.2729	BMB*

**19 0.25 PPM CHECK STD**


Sample Name: **0.25 PPM CHECK STD**  
Vial Number: **0**  
Sample Type: **unknown**  
Control Program: **Anions 2000**  
Quantif. Method: **Anions 2000**  
Recording Time: **4/11/2013 20:17**  
Run Time (min): **25.00**

Injection Volume: **250.0**  
Channel: **ECD\_1**  
Wavelength: **n.a.**  
Bandwidth: **n.a.**  
Dilution Factor: **1.0000**  
Sample Weight: **1.0000**  
Sample Amount: **1.0000**



No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	4.401	0.625	58.64	0.2578	BMB*
2	6.19	CHLORIDE	2.571	0.441	41.36	0.2622	BMB


<b>9 control</b>	
Sample Name: <b>control</b>	Injection Volume: <b>250.0</b>
Vial Number: <b>0</b>	Channel: <b>ECD_1</b>
Sample Type: <b>unknown</b>	Wavelength: <b>n.a.</b>
Control Program: <b>Anions 2000</b>	Bandwidth: <b>n.a.</b>
Quantif. Method: <b>Anions 2000</b>	Dilution Factor: <b>1.0000</b>
Recording Time: <b>4/11/2013 16:37</b>	Sample Weight: <b>1.0000</b>
Run Time (min): <b>25.00</b>	Sample Amount: <b>1.0000</b>



No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
1	4.07	FLUORIDE	11.065	1.743	1.98	0.7192	BMB*
2	6.40	CHLORIDE	342.929	86.185	98.02	51.2828	BMB

### 10 control

Sample Name:	control	Injection Volume:	250.0
Vial Number:	0	Channel:	ECD_1
Sample Type:	unknown	Wavelength:	n.a.
Control Program:	Anions 2000	Bandwidth:	n.a.
Quantif. Method:	Anions 2000	Dilution Factor:	1.0000
Recording Time:	4/11/2013 17:05	Sample Weight:	1.0000
Run Time (min):	25.00	Sample Amount:	1.0000




No.	Ret. Time min	Peak Name	Height μS	Area μS*min	Rel. Area %	Amount PPM	Type
1	4.07	FLUORIDE	11.039	1.733	1.97	0.7151	BMB*
2	6.40	CHLORIDE	342.904	86.315	98.03	51.3603	BMB*

### 33 CONTROL 2X

Sample Name: **CONTROL 2X**  
 Vial Number: **0**  
 Sample Type: **unknown**  
 Control Program: **Anions 2000**  
 Quantif. Method: **Anions 2000**  
 Recording Time: **4/12/2013 15:39**  
 Run Time (min): **25.00**

Injection Volume: **250.0**  
 Channel: **ECD\_1**  
 Wavelength: **n.a.**  
 Bandwidth: **n.a.**  
 Dilution Factor: **1.0000**  
 Sample Weight: **1.0000**  
 Sample Amount: **1.0000**




No.	Ret.Time min	Peak Name	Height µS	Area µS*min	Rel.Area %	Amount PPM	Type
1	4.08	FLUORIDE	5.383	0.812	2.02	0.3352	BMB*
2	6.26	CHLORIDE	180.370	39.409	97.98	23.4498	BMB*

### 32 CONTROL 2X

Sample Name: **CONTROL 2X**  
 Vial Number: **0**  
 Sample Type: **unknown**  
 Control Program: **Anions 2000**  
 Quantif. Method: **Anions 2000**  
 Recording Time: **4/12/2013 15:12**  
 Run Time (min): **25.00**

Injection Volume: **250.0**  
 Channel: **ECD\_1**  
 Wavelength: **n.a.**  
 Bandwidth: **n.a.**  
 Dilution Factor: **1.0000**  
 Sample Weight: **1.0000**  
 Sample Amount: **1.0000**




No.	Ret. Time min	Peak Name	Height μS	Area μS*min	Rel. Area %	Amount PPM	Type
1	4.08	FLUORIDE	5.370	0.796	2.00	0.3287	BMB*
2	6.26	CHLORIDE	178.936	38.963	98.00	23.1841	BMB*

## 24 CONTROL 200X


Sample Name: **CONTROL 200X**  
 Vial Number: **0**  
 Sample Type: **unknown**  
 Control Program: **Anions 2000**  
 Quantif. Method: **Anions 2000**  
 Recording Time: **4/12/2013 10:38**  
 Run Time (min): **25.00**

Injection Volume: **250.0**  
 Channel: **ECD\_1**  
 Wavelength: **n.a.**  
 Bandwidth: **n.a.**  
 Dilution Factor: **1.0000**  
 Sample Weight: **1.0000**  
 Sample Amount: **1.0000**




No.	Ret.Time min	Peak Name	Height µS	Area µS*min	Rel.Area %	Amount PPM	Type
1	6.20	CHLORIDE	1.641	0.286	100.00	0.1703	BMB

23 CONTROL 200X			
Sample Name:	CONTROL 200X	Injection Volume:	250.0
Vial Number:	0	Channel:	ECD_1
Sample Type:	unknown	Wavelength:	n.a.
Control Program:	Anions 2000	Bandwidth:	n.a.
Quantif. Method:	Anions 2000	Dilution Factor:	1.0000
Recording Time:	4/12/2013 11:05	Sample Weight:	1.0000
Run Time (min):	25.00	Sample Amount:	1.0000




No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
1	6.20	CHLORIDE	1.674	0.293	100.00	0.1741	BMB*

<b>11 TEST 3</b>			
Sample Name:	TEST 3	Injection Volume:	250.0
Vial Number:	0	Channel:	ECD_1
Sample Type:	unknown	Wavelength:	n.a.
Control Program:	Anions 2000	Bandwidth:	n.a.
Quantif. Method:	Anions 2000	Dilution Factor:	1.0000
Recording Time:	4/11/2013 17:32	Sample Weight:	1.0000
Run Time (min):	25.00	Sample Amount:	1.0000




No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
1	4.19	FLUORIDE	216.799	54.832	12.24	22.6266	BMB*
2	6.73	CHLORIDE	939.147	393.218	87.76	233.9767	BMB*

<b>28 TEST 3 100X</b>		
Sample Name:	TEST 3 100X	Injection Volume: 250.0
Vial Number:	0	Channel: ECD_1
Sample Type:	unknown	Wavelength: n.a.
Control Program:	Anions 2000	Bandwidth: n.a.
Quantif. Method:	Anions 2000	Dilution Factor: 1.0000
Recording Time:	4/12/2013 13:22	Sample Weight: 1.0000
Run Time (min):	25.00	Sample Amount: 1.0000



No.	Ret.Time min	Peak Name	Height µS	Area µS*min	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	4.720	0.666	19.74	0.2748	BMB*
2	6.20	CHLORIDE	15.768	2.708	80.26	1.6112	BMB*

<b>29 TEST 3 100X</b>			
Sample Name:	TEST 3 100X	Injection Volume:	250.0
Vial Number:	0	Channel:	ECD_1
Sample Type:	unknown	Wavelength:	n.a.
Control Program:	Anions 2000	Bandwidth:	n.a.
Quantif. Method:	Anions 2000	Dilution Factor:	1.0000
Recording Time:	4/12/2013 13:50	Sample Weight:	1.0000
Run Time (min):	25.00	Sample Amount:	1.0000




No.	Ret.Time min	Peak Name	Height $\mu\text{S}$	Area $\mu\text{S}\cdot\text{min}$	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	4.734	0.657	19.83	0.2713	BMB
2	6.20	CHLORIDE	15.790	2.658	80.17	1.5816	BMB

**24 TEST 3 1000X**

Sample Name: **TEST 3 1000X**  
 Vial Number: **0**  
 Sample Type: **unknown**  
 Control Program: **Anions 2000**  
 Quantif. Method: **Anions 2000**  
 Recording Time: **4/12/2013 11:33**  
 Run Time (min): **25.00**

Injection Volume: **250.0**  
 Channel: **ECD\_1**  
 Wavelength: **n.a.**  
 Bandwidth: **n.a.**  
 Dilution Factor: **1.0000**  
 Sample Weight: **1.0000**  
 Sample Amount: **1.0000**




No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	0.354	0.047	15.58	0.0193	BMB*
2	6.20	CHLORIDE	1.419	0.254	84.42	0.1510	BMB*

**25 TEST 3 1000X**


Sample Name: **TEST 3 1000X**  
Vial Number: **0**  
Sample Type: **unknown**  
Control Program: **Anions 2000**  
Quantif. Method: **Anions 2000**  
Recording Time: **4/12/2013 12:00**  
Run Time (min): **25.00**

Injection Volume: **250.0**  
Channel: **ECD\_1**  
Wavelength: **n.a.**  
Bandwidth: **n.a.**  
Dilution Factor: **1.0000**  
Sample Weight: **1.0000**  
Sample Amount: **1.0000**



No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	0.424	0.062	18.97	0.0255	BMB*
2	6.20	CHLORIDE	1.486	0.264	81.03	0.1570	BMB*

13 TEST 6		
Sample Name:	TEST 6	Injection Volume: 250.0
Vial Number:	0	Channel: ECD_1
Sample Type:	unknown	Wavelength: n.a.
Control Program:	Anions 2000	Bandwidth: n.a.
Quantif. Method:	Anions 2000	Dilution Factor: 1.0000
Recording Time:	4/11/2013 18:27	Sample Weight: 1.0000
Run Time (min):	25.00	Sample Amount: 1.0000




No.	Ret.Time min	Peak Name	Height μS	Area μS*min	Rel.Area %	Amount PPM	Type
1	4.20	FLUORIDE	237.064	56.168	27.23	23.1780	BMB*
2	6.55	CHLORIDE	559.984	150.088	72.77	89.3072	BMB*

**14 TEST 6**


Sample Name: **TEST 6**  
 Vial Number: **0**  
 Sample Type: **unknown**  
 Control Program: **Anions 2000**  
 Quantif. Method: **Anions 2000**  
 Recording Time: **4/11/2013 18:54**  
 Run Time (min): **25.00**

Injection Volume: **250.0**  
 Channel: **ECD\_1**  
 Wavelength: **n.a.**  
 Bandwidth: **n.a.**  
 Dilution Factor: **1.0000**  
 Sample Weight: **1.0000**  
 Sample Amount: **1.0000**




No.	Ret.Time min	Peak Name	Height $\mu\text{S}$	Area $\mu\text{S} \cdot \text{min}$	Rel.Area %	Amount PPM	Type
1	4.20	FLUORIDE	237.323	56.093	27.30	23.1469	BMB*
2	6.55	CHLORIDE	560.460	149.357	72.70	88.8721	BMB*

<b>30 TEST 6 100X</b>			
Sample Name:	<b>TEST 6 100X</b>	Injection Volume:	<b>250.0</b>
Vial Number:	<b>0</b>	Channel:	<b>ECD_1</b>
Sample Type:	<b>unknown</b>	Wavelength:	<b>n.a.</b>
Control Program:	<b>Anions 2000</b>	Bandwidth:	<b>n.a.</b>
Quantif. Method:	<b>Anions 2000</b>	Dilution Factor:	<b>1.0000</b>
Recording Time:	<b>4/12/2013 14:17</b>	Sample Weight:	<b>1.0000</b>
Run Time (min):	<b>25.00</b>	Sample Amount:	<b>1.0000</b>



No.	Ret.Time min	Peak Name	Height µS	Area µS*min	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	6.567	0.898	45.04	0.3707	BMB
2	6.19	CHLORIDE	6.362	1.096	54.96	0.6522	BMB

31 TEST 6 100X		
Sample Name:	TEST 6 100X	Injection Volume: 250.0
Vial Number:	0	Channel: ECD_1
Sample Type:	unknown	Wavelength: n.a.
Control Program:	Anions 2000	Bandwidth: n.a.
Quantif. Method:	Anions 2000	Dilution Factor: 1.0000
Recording Time:	4/12/2013 14:45	Sample Weight: 1.0000
Run Time (min):	25.00	Sample Amount: 1.0000




No.	Ret.Time min	Peak Name	Height µS	Area µS*min	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	6.626	0.897	45.53	0.3701	BMB*
2	6.19	CHLORIDE	6.323	1.073	54.47	0.6386	BMB*

**27 TEST 6 500X**

Sample Name: **TEST 6 500X**  
 Vial Number: **0**  
 Sample Type: **unknown**  
 Control Program: **Anions 2000**  
 Quantif. Method: **Anions 2000**  
 Recording Time: **4/12/2013 12:55**  
 Run Time (min): **25.00**

Injection Volume: **250.0**  
 Channel: **ECD\_1**  
 Wavelength: **n.a.**  
 Bandwidth: **n.a.**  
 Dilution Factor: **1.0000**  
 Sample Weight: **1.0000**  
 Sample Amount: **1.0000**




No.	Ret.Time min	Peak Name	Height $\mu\text{S}$	Area $\mu\text{S}\cdot\text{min}$	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	0.648	0.104	44.87	0.0428	BMB
2	6.19	CHLORIDE	0.734	0.127	55.13	0.0758	BMB*

**26 TEST 6 500X**

Sample Name: **TEST 6 500X**  
Vial Number: **0**  
Sample Type: **unknown**  
Control Program: **Anions 2000**  
Quantif. Method: **Anions 2000**  
Recording Time: **4/12/2013 12:28**  
Run Time (min): **25.00**

Injection Volume: **250.0**  
Channel: **ECD\_1**  
Wavelength: **n.a.**  
Bandwidth: **n.a.**  
Dilution Factor: **1.0000**  
Sample Weight: **1.0000**  
Sample Amount: **1.0000**



No.	Ret.Time min	Peak Name	Height µS	Area µS*min	Rel.Area %	Amount PPM	Type
1	4.09	FLUORIDE	0.641	0.099	45.21	0.0408	BMB*
2	6.19	CHLORIDE	0.717	0.120	54.79	0.0713	BMB*

## **Appendix D Analyze, Inc. Report**

---

# **APPENDIX**

## **Elemental Analyses**

# AnalysisNow!

---

<b>Customer:</b> ANALYZE	<b>Sample Number:</b> 42436
<b>Address:</b> 318 S. Bracken Lane	<b>Purchase Order:</b> 3112-6949
<b>City:</b> Chandler	<b>Sample Type:</b> Process Solution
<b>State:</b> AZ	<b>Date/Time In:</b> 4/11/2013 11:16:15 AM
<b>Zip:</b> 85224	<b>Date/Time Out:</b> 04/15/2013 11:55 AM

## E-mail transmission

---

### Trace Elements, ppb

<b>Li:</b> < 5	<b>Zn:</b> < 5	<b>Ta:</b> < 2
<b>Be:</b> < 2	<b>Ga:</b> < 2	<b>W:</b> < 5
<b>B:</b> 11	<b>Ge:</b> < 5	<b>Au:</b> < 5
<b>Mg:</b> 4800	<b>As:</b> < 10	<b>Tl:</b> < 2
<b>Al:</b> 8.5	<b>Sr:</b> 82	<b>Pb:</b> < 2
<b>Ti:</b> < 10	<b>Zr:</b> < 2	<b>Bi:</b> < 2
<b>V:</b> < 2	<b>Nb:</b> < 2	<b>Th:</b> < 5
<b>Cr:</b> < 5	<b>Mo:</b> < 5	<b>U:</b> < 5
<b>Mn:</b> < 5	<b>Ag:</b> < 5	<b>Fe:</b> 90
<b>Ni:</b> < 10	<b>Cd:</b> < 5	<b>Na:</b> 13000
<b>Co:</b> < 5	<b>Sn:</b> < 5	<b>Ca:</b> 23000
<b>Cu:</b> < 5	<b>Sb:</b> < 2	<b>K:</b> 2400
	<b>Ba:</b> 24	

**Comments:** Control; 3/27/13; AFB  
P = <1.0ppm; TIC = 7.3ppm; TOC = 1.3ppm

(signature on file)

**Kirsten B. Smith**  
**Laboratory Manager**

# AnalysisNow!

---

<b>Customer:</b> ANALYZE	<b>Sample Number:</b> 42437
<b>Address:</b> 318 S. Bracken Lane	<b>Purchase Order:</b> 3112-6949
<b>City:</b> Chandler	<b>Sample Type:</b> Process Solution
<b>State:</b> AZ	<b>Date/Time In:</b> 4/11/2013 11:19:25 AM
<b>Zip:</b> 85224	<b>Date/Time Out:</b> 04/15/2013 11:55 AM

## E-mail transmission

---

### Trace Elements, ppb

<b>Li:</b> 250	<b>Zn:</b> 29000	<b>Ta:</b> < 2
<b>Be:</b> < 2	<b>Ga:</b> < 2	<b>W:</b> < 5
<b>B:</b> 53	<b>Ge:</b> < 5	<b>Au:</b> < 5
<b>Mg:</b> 6900	<b>As:</b> < 10	<b>Tl:</b> < 2
<b>Al:</b> 3000	<b>Sr:</b> 4500	<b>Pb:</b> < 2
<b>Ti:</b> < 10	<b>Zr:</b> < 2	<b>Bi:</b> < 2
<b>V:</b> 2	<b>Nb:</b> < 2	<b>Th:</b> < 5
<b>Cr:</b> < 5	<b>Mo:</b> < 5	<b>U:</b> < 5
<b>Mn:</b> 270	<b>Ag:</b> < 5	<b>Fe:</b> 720
<b>Ni:</b> 51	<b>Cd:</b> < 5	<b>Na:</b> 19000
<b>Co:</b> 16	<b>Sn:</b> < 5	<b>Ca:</b> 72000
<b>Cu:</b> 150	<b>Sb:</b> 700	<b>K:</b> 6000
	<b>Ba:</b> 610	

**Comments:** Test 3; 3/28/13; AFB  
P = 7.5ppm; TIC = 7.7ppm; TOC = 150ppm

(signature on file)

**Kirsten B. Smith**  
**Laboratory Manager**

# AnalysisNow!

---

<b>Customer:</b> ANALYZE	<b>Sample Number:</b> 42438
<b>Address:</b> 318 S. Bracken Lane	<b>Purchase Order:</b> 3112-6949
<b>City:</b> Chandler	<b>Sample Type:</b> Process Solution
<b>State:</b> AZ	<b>Date/Time In:</b> 4/11/2013 11:20:12 AM
<b>Zip:</b> 85224	<b>Date/Time Out:</b> 04/15/2013 11:55 AM

## E-mail transmission

---

### Trace Elements, ppb

<b>Li:</b> 3600	<b>Zn:</b> 2700	<b>Ta:</b> < 2
<b>Be:</b> < 2	<b>Ga:</b> < 2	<b>W:</b> < 5
<b>B:</b> 1800	<b>Ge:</b> < 5	<b>Au:</b> < 5
<b>Mg:</b> 7000	<b>As:</b> < 10	<b>Tl:</b> < 2
<b>Al:</b> 1000	<b>Sr:</b> 440	<b>Pb:</b> < 2
<b>Ti:</b> < 10	<b>Zr:</b> 2	<b>Bi:</b> < 2
<b>V:</b> 2.9	<b>Nb:</b> < 2	<b>Th:</b> < 5
<b>Cr:</b> < 5	<b>Mo:</b> 5	<b>U:</b> < 5
<b>Mn:</b> 4600	<b>Ag:</b> < 5	<b>Fe:</b> 170
<b>Ni:</b> 690	<b>Cd:</b> < 5	<b>Na:</b> 17000
<b>Co:</b> 760	<b>Sn:</b> < 5	<b>Ca:</b> 42000
<b>Cu:</b> 140	<b>Sb:</b> 700	<b>K:</b> 4800
	<b>Ba:</b> 270	

**Comments:** Test 6; 4/3/13; AFB  
P = 11ppm; TIC = 21ppm; TOC = 360ppm

(signature on file)

**Kirsten B. Smith**  
**Laboratory Manager**

## **Appendix E Electrical Measurements**

---

# Appendix E Electrical Measurements

---




Figure E.1 Box plot indicating the maximum, minimum, median, first quartile and third quartile measurement for nozzle voltage and current measurements




Figure E.2 Box plot indicating the maximum, minimum, median, first quartile and third quartile measurement for chassis voltage and current measurements




Figure E.3 Nozzle voltage and current measurements for Test A1




Figure E.4 Nozzle voltage and current measurements for Test A2




Figure E.5 Nozzle voltage and current measurements for Test A3




Figure E.6 Nozzle voltage and current measurements for Test B1




Figure E.7 Nozzle voltage and current measurements for Test B2




Figure E.8 Nozzle voltage and current measurements for Test B3




Figure E.9 Chassis voltage and current measurements for Test A1




Figure E.10 Chassis voltage and current measurements for Test A2




Figure E.11 Chassis voltage and current measurements for Test A3




Figure E.12 Chassis voltage and current measurements for Test B1




Figure E.13 Chassis voltage and current measurements for Test B2




Figure E.14 Chassis voltage and current measurements for Test B3