#### DOE EM CLEANUP AND COMPLIANCE AGREEMENT FACT SHEET

#### **SUMMARY**

Data Element	Data
Site	Savannah River
Agreement Name	Consent Order 99-21-HW
State	South Carolina
Agreement Type	Consent Order
Legal Driver(s)	RCRA
Scope Summary	Establish remediation schedules and guidelines for F- and H-Area Groundwater treatment units
Parties	DOE (SRS); State of South Carolina (Department of Health and Environmental Control)
Date	7/13/1999

# **SCOPE**

- Establish remediation schedules and guidelines for F- and H-Area Groundwater treatment units.
- Establish stipulated penalties for failure to operate F- and/or H-Area Hazardous Waste Management Facilities at specified flowrates.

## **ESTABLISHING MILESTONES**

- By September 1, 1999, SRS shall meet the objectives of Phase I of the corrective action plan to remediate the groundwater contamination plume as required in the SCHMWP for the F-Area groundwater treatment unit.
- By July 1, 1999, SRS shall meet the objectives of Phase I of the corrective action plan to remediate the groundwater contamination plume as required in the SCHMWP for the H-Area groundwater treatment unit.
- SRS shall submit to the Department quarterly operations reports by the 19<sup>th</sup> of the month following the end of each quarter; this process shall begin for the F- and H-

Area groundwater treatment units at the respective dates shown above.

• An extension shall be granted for any scheduled activity delayed by an event of force majeure.

## **FUNDING**

• No specific provisions are set forth in this document.

# **PENALTIES**

- DOE and WSRC shall pay a stipulated penalty of \$1,000 per violation per day that the F- and/or H-Area Hazardous Waste Management Facilities do not operate at the flowrates specified in the permit.
- Stipulated penalties will not be assessed for downtimes experienced in accordance with Attachment I.
- The stipulated penalty shall be in addition to any other non-monetary remedies or sanctions which may be available to the Department by reason of SRS's failure to comply with the requirements of this Order.