

**ENVIRONMENTAL ASSESSMENT FOR
10 CFR 431
ENERGY CONSERVATION PROGRAM FOR
COMMERCIAL AND INDUSTRIAL EQUIPMENT:
PACKAGED TERMINAL AIR CONDITIONER AND
PACKAGED TERMINAL HEAT PUMP ENERGY
CONSERVATION STANDARDS; FINAL RULE**

October 2008



DOE/EA-1637

NOTE:

The following Environmental Assessment (DOE/EA-1637) was integrated into the Technical Support Document (TSD) that was prepared for the Final Rule, 10 CFR Part 431, regarding the Department of Energy's energy conservation standards rulemaking on packaged terminal air conditioners and packaged terminal heat pumps. The environmental analysis was contained in Chapter 16 of the TSD, which is provided here. The complete TSD is located on the Office of Energy Efficiency and Renewable Energy's Website at the following URL:

http://www1.eere.energy.gov/buildings/appliance_standards/commercial/ptacs_ptcps_final_tsd.html

CHAPTER 16. ENVIRONMENTAL IMPACT ANALYSIS

TABLE OF CONTENTS

16.1	INTRODUCTION	16-1
16.2	AIR EMISSIONS ANALYSIS.....	16-1
16.2.1	Air Emissions Descriptions.....	16-1
16.2.2	Air Quality Regulation.....	16-3
16.2.3	Global Climate Change.....	16-5
16.2.4	Analytical Methods for Air Emissions	16-8
16.2.5	Effects on Power Plant Emissions	16-10
16.2.6	Effects on Upstream Fuel-Cycle Emissions	16-15
16.2.7	Economic Valuation of Emissions Reductions.....	16-16
16.3	WETLAND, ENDANGERED AND THREATENED SPECIES, AND CULTURAL RESOURCES	16-24
16.4	SOCIOECONOMIC IMPACTS.....	16-24
16.5	ENVIRONMENTAL JUSTICE IMPACTS	16-25
16.6	NOISE AND AESTHETICS	16-25
16.7	SUMMARY OF ENVIRONMENTAL IMPACTS.....	16-25

LIST OF TABLES

Table 16.2.1	Impact of the PTAC and PTHP Efficiency Standard on Cumulative Energy-Related Emissions of CO ₂ Between 2012 and 2042 by Trial Standard Level (Millions of Metric Tons CO ₂)	16-8
Table 16.2.2	Emissions Forecast for AEO 2008 Reference Case.....	16-11
Table 16.2.3	Emissions Impact Forecasts for Standard Size PTACs	16-12
Table 16.2.4	Emissions Impact Forecasts for Non-Standard Size PTACs	16-13
Table 16.2.5	Emissions Impact Forecasts for Standard Size PTHPs.....	16-14
Table 16.2.6	Emissions Impact Forecasts for Non-Standard Size PTHPs.....	16-15
Table 16.2.7	Estimated Upstream Emissions of Air Pollutants as a Percentage of Direct Power Plant Combustion Emissions	16-16
Table 16.2.8	Estimates of Savings from CO ₂ Emissions Reductions under PTAC and PTHP Trial Standard Levels at 7% Discount Rate and 3% Discount Rate	16-18
Table 16.2.9	Estimates of Savings from Reductions of NO _x and Hg under PTAC and PTHP Trial Standard Levels at a 7% Discount Rate	16-21
Table 16.2.10	Preliminary Estimates of Savings from Reductions of NO _x and Hg under PTAC and PTHP Trial Standard Levels at a 3% Discount Rate	16-21
Table 16.4.1	Mean Life-Cycle Cost Savings for All Customers and Sub-Group, Standard Size PTACs and PTHPs.....	16-24
Table 16.7.1	Environmental Impact Analysis Results Summary, Standard-Size PTACs and PTHPs	16-26
Table 16.7.2	Environmental Impact Analysis Results Summary, Non-Standard PTACs and PTHPs	16-27

CHAPTER 16. ENVIRONMENTAL IMPACT ANALYSIS

16.1 INTRODUCTION

This chapter describes potential environmental effects that may result from amended energy conservation standards for packaged terminal air conditioners (PTACs) and packaged terminal heat pumps (PTHPs). The U.S. Department of Energy (DOE)'s proposed energy conservation standards are not site-specific, and would apply to all 50 States and U.S. territories. Therefore, none of the proposed standards would impact land uses, cause any direct disturbance to the land, or directly affect biological resources in any one area.

All of the potential trial standard levels (TSLs) are expected to reduce energy consumption in comparison to a baseline efficiency level. These changes in the demand for electricity and the costs of achieving these savings are the primary drivers in analyzing environmental effects. Estimates of source energy savings can be found in the utility impact analysis in Chapter 14 of this technical support document (TSD). Detailed discussion on TSLs can be found in Chapter 9 of this TSD.

The primary impact of the TSLs is in air quality resulting from changes in power plant operations and capacity additions. Therefore, much of this chapter describes the air quality analysis. The latter part of the chapter describes potential impacts to other environmental resources.

16.2 AIR EMISSIONS ANALYSIS

The primary focus of the environmental analysis is the impact on air quality of amended energy conservation standards for PTAC and PTHP equipment. The outcomes of the environmental analysis are driven by changes in power plant types and quantities of electricity generated under each of the alternatives. Changes in generation are described in the utility impact analysis in Chapter 14.

16.2.1 Air Emissions Descriptions

For each of the TSLs, DOE calculated total power-sector emissions based on output from NEMS-BT model (see Chapter 14). This analysis considers three pollutants: nitrogen oxides (NO_x), mercury (Hg), and sulfur dioxide (SO₂). An air pollutant is any substance in the air that can cause harm to humans or the environment. Pollutants may be natural or man-made (i.e., anthropogenic) and may take the form of solid particles (i.e., particulates or particulate matter), liquid droplets, or gases^a. This analysis also considers carbon dioxide (CO₂).

^a More information on air pollution characteristics and regulations is available on the U.S. Environment Protection Agent (EPA)'s website at www.epa.gov.

Sulfur Dioxide (SO₂)

In addressing SO₂ emissions, the Clean Air Act Amendments of 1990 set an SO₂ emissions cap on all power generation, but permitted flexibility among generators through the use of emissions allowances and tradable permits. This SO₂ trading process (sometimes called “cap and trade”) implies that the standard will have virtually no effect on total physical emissions because emissions will always be at, or near, the allowed emissions ceiling. Consequently, there is no direct SO₂ environmental benefit from a reduction in electricity use due to the proposed energy conservation standards, as long as there is enforcement of the emissions ceiling. But to the extent reduced power generation demand decreases the demand for and price of emissions allowance permits, there is an environmentally related economic benefit from the proposed energy conservation standards reducing SO₂ emissions allowance demand. Furthermore, over time, if emissions decline, there is greater flexibility in reducing the ceiling amount.

Nitrogen Oxides (NO_x)

Nitrogen oxides, or NO_x, are the generic term for a group of highly reactive gases, all of which contain nitrogen and oxygen in varying amounts. Many of the nitrogen oxides are colorless and odorless. However, one common pollutant, nitrogen dioxide (NO₂), along with particles in the air can often be seen as a reddish-brown layer over many urban areas. NO₂ is the specific form of NO_x reported in this document. NO_x is one of the main ingredients involved in the formation of ground-level ozone, which can trigger serious respiratory problems. It can contribute to the formation of acid rain, and can impair visibility in areas such as national parks. NO_x also contributes to the formation of fine particles that can impair human health.

Nitrogen oxides form when fossil fuel is burned at high temperatures, as in a combustion process. The primary manmade sources of NO_x are motor vehicles, electric utilities, and other industrial, commercial, and residential sources that burn fossil fuels. NO_x can also be formed naturally. Electric utilities account for about 22 percent of NO_x emissions in the United States.

Mercury

Coal-fired power plants emit mercury found in coal during the burning process. While coal-fired power plants are the largest remaining source of human-generated mercury emissions in the United States, they contribute very little to the global mercury pool or to contamination of U.S. waters. U.S. coal-fired power plants emit mercury in three different forms: oxidized mercury (likely to deposit within the United States); elemental mercury, which can travel thousands of miles before depositing to land and water; and mercury that is in particulate form. Atmospheric mercury is deposited on land, lakes, rivers, and estuaries through rain, snow, and dry deposition. Once there, it can transform into methyl mercury and accumulate in fish tissue through bioaccumulation.

Americans are exposed to methyl mercury primarily by eating contaminated fish. Because the developing fetus is the most sensitive to the toxic effects of methyl mercury, women of childbearing age are regarded as the population of greatest concern. Children exposed to methyl mercury before birth may be at increased risk of poor performance on neurobehavioral tasks, such as those measuring attention, fine motor function, language skills, visual-spatial abilities, and verbal memory.

Carbon Dioxide (CO₂)

Carbon dioxide (CO₂) is not a regulated or criteria pollutant (see below), but it is of interest because of its classification as a greenhouse gas (GHG). GHGs trap the sun's radiation inside the Earth's atmosphere and either occur naturally in the atmosphere or result from human activities. Naturally occurring GHGs include water vapor, CO₂, methane (CH₄), nitrous oxide (N₂O), and ozone (O₃). Human activities, however, add to the levels of most of these naturally occurring gases. For example, CO₂ is emitted to the atmosphere when solid waste, fossil fuels (oil, natural gas, and coal), wood, and wood products are burned. During the past 20 years, about three-quarters of anthropogenic (i.e., human-made) CO₂ emissions resulted from burning fossil fuels.

Concentrations of CO₂ in the atmosphere are naturally regulated by numerous processes, collectively known as the "carbon cycle." The movement of carbon between the atmosphere and the land and oceans is dominated by natural processes, such as plant photosynthesis. While these natural processes can absorb some of the anthropogenic CO₂ emissions produced each year, billions of metric tons are added to the atmosphere annually. In the U. S., CO₂ emissions from both energy generation and industrial processes account for 84.6 percent of total U.S. GHG emissions.⁷

16.2.2 Air Quality Regulation

In 1990, EPA amended Title VI section to the Clean Air Act to phase out in 2010 hydrochlorofluorocarbons (HCFC) refrigerants, which are commonly used in air conditioning systems. The only refrigerant currently used by PTACs and PTHP equipment is R-22, a HCFC refrigerant and therefore included in the refrigerant phase-out regulations^b. Chapter 5 of this TSD, engineering analysis, discusses an analysis to characterize the performance and cost implications of using an alternative refrigerant (i.e., R-410A) in PTAC and PTHP equipment. Manufacturers interviewed confirmed that the industry is planning to switch to R-410A as a substitute refrigerant for R-22 in PTAC and PTHP equipment. This conversion is not an impact of this rulemaking. Therefore, the effects of this conversion are outside the scope of this environmental analysis. All later chapters assume costs and performance of PTAC and PTHP equipment based on R-410A refrigerant.

The Clean Air Act Amendments of 1990 list 188 toxic air pollutants that EPA is required to control. EPA has set national air quality standards for six common pollutants (also referred to as "criteria" pollutants), two of which are SO₂ and NO_x. Also, the Clean

^b EPA's R-22 phase-out regulations can be found at the EPA home website: http://www.epa.gov/ozone/title6/phaseout/hcfcfaqs.html#why_epa.

Air Act Amendments of 1990 gave EPA the authority to control acidification and to require operators of electric power plants to reduce emissions of SO₂ and NO_x. Title IV of the 1990 amendments established a cap-and-trade program for SO₂ intended to help control acid rain. This cap-and-trade program serves as a model for more recent programs with similar features.

In 2005, EPA issued the Clean Air Interstate Rule (CAIR) under sections 110 and 111 of the Clean Air Act (40 CFR Parts 51, 96, and 97).^c CAIR would have permanently capped emissions of SO₂ and NO_x in eastern States of the United States. CAIR was intended to achieve additional large reductions of SO₂ and/or NO_x emissions across 28 eastern states and the District of Columbia. States were to achieve the required emission reductions using one of two compliance options: 1) meet an emission budget for each regulated state by requiring power plants to participate in an EPA-administered interstate cap-and-trade system that caps emissions in two stages, or 2) meet an individual state emissions budget through measures of the state's choosing. Phase 1 caps for NO_x were to be in place in 2009. Phase 1 caps for SO₂ were to be in place in 2010. The Phase 2 caps for both pollutants were due in 2015.

Also in 2005, EPA issued the final rule entitled "Standards of Performance for New and Existing Stationary Sources: Electric Steam Generating Units," under sections 110 and 111 of the Clean Air Act (40 CFR Parts 60, 63, 72, and 75). This rule, also called the Clean Air Mercury Rule, was closely related to the CAIR and established standards of performance for mercury emissions from new and existing coal-fired electric utility steam generating units. The Clean Air Mercury Rule regulated mercury emissions from coal-fired power plants. On February 8, 2008, the U.S. Court of Appeals for the District of Columbia Circuit (D.C. Circuit) issued its decision in State of New Jersey, et al. v. Environmental Protection Agency,^d in which the Court, among other actions, vacated the Clean Air Mercury Rule.

On July 11, 2008, the U.S. Court of Appeals for the District of Columbia Circuit (D.C. Circuit) issued its decision in *North Carolina v. Environmental Protection Agency*, which vacated the Clean Air Interstate Rule (CAIR) issued by the U.S. Environmental Protection Agency on March 10, 2005.^e CAIR was the basis under which NO_x emissions were capped.^f However, Even though the D.C. Circuit vacated the CAIR, DOE notes that the D.C. Circuit left intact a voluntary program set in place by EPA's 1998 NO_x SIP Call rule, which provided 23 jurisdictions with an option to implement a cap and trade emission program for NO_x emissions. See 63 Fed. Reg. 57356, 57359 (Oct. 27, 1998).^g

^c See <http://www.epa.gov/cleanairinterstaterule/>.

^d No. 05-1097, 2008 WL 341338, at *1 (D.C. Cir. Feb. 8, 2008).

^e See <http://www.epa.gov/cleanairinterstaterule/>.

^f Case No. 05-1244, 2008 WL 2698180 at *1 (D.C. Cir. July 11, 2008).

^g In the NO_x SIP Call rule, EPA found that sources in the District of Columbia and 22 "upwind" states (States) were emitting NO_x (an ozone precursor) at levels that significantly contributed to "downwind" states not attaining the ozone NAAQS or at levels that interfered with states in attainment maintaining the ozone NAAQS. In an effort to ensure that "downwind" states attain or continue to attain the ozone NAAQS, EPA established a region-wide cap for NO_x emissions from certain large combustion sources and set a NO_x emissions budget for each State. In order to comply with the NO_x SIP Call Rule, States could elect to participate in the NO_x Budget Trading Program. Under the NO_x Budget Trading Program, each

16.2.3 Global Climate Change

Climate change has evolved into a matter of global concern because it is expected to have widespread, adverse effects on natural resources and systems. A growing body of evidence points to anthropogenic sources of greenhouse gases, such as carbon dioxide (CO₂), as major contributors to climate change. Because this Rule, if finalized, will likely decrease CO₂ emission rates from the fossil fuel sector in the United States, the Department here examines the impacts and causes of climate change and then the potential impact of the Rule on CO₂ emissions and global warming.

Impacts of Climate Change on the Environment

Climate is usually defined as the average weather, over a period ranging from months to many years. Climate change refers to a change in the state of the climate, which is identifiable through changes in the mean and/or the variability of its properties (e.g., temperature or precipitation) over an extended period, typically decades or longer.

The World Meteorological Organization and United Nations Environment Programme (UNEP) established the Intergovernmental Panel on Climate Change (IPCC) to provide an objective source of information about climate change. According to the IPCC Fourth Assessment Report (IPCC Report), published in 2007, climate change is consistent with observed changes to the world's natural systems; the IPCC expects these changes to continue.

Changes that are consistent with warming include warming of the world's oceans to a depth of 3000 meters; global average sea level rise at an average rate of 1.8 mm per year from 1961 to 2003; loss of annual average Arctic sea ice at a rate of 2.7 % per decade, changes in wind patterns that affect extra-tropical storm tracks and temperature patterns, increases in intense precipitation in some parts of the world, as well as increased drought and more frequent heat waves in many locations worldwide, and numerous ecological changes.

Looking forward, the IPCC describes continued global warming of about 0.2°C per decade for the next two decades under a wide range of emission scenarios for carbon dioxide (CO₂), other greenhouse gases (GHG)s, and aerosols. After that period, the rate of increase is less certain. The IPCC Report describes increases in average global temperatures of about 1.1°C to 6.4°C at the end of the century relative to today. These increases vary depending on the model and emissions scenarios.

The IPCC Report describes incremental impacts associated with the rise in temperature. At ranges of incremental increases to the global average temperature, IPCC reports, with either high or very high confidence, that there is likely to be an increasing

emission source is required to have one allowance for each ton of NO_x emitted during the ozone season. States have flexibility in how they allocate allowances through their State Implementation Plans but States must remain within the EPA-established budget. Emission sources are allowed to buy, sell and bank NO_x allowances as appropriate. It should be noted that, on April 16, 2008, EPA determined that Georgia is no longer subject to the NO_x SIP Call rule . 73 FR 21528 (April 22, 2008).

degree of impacts such as coral reef bleaching, loss of wildlife habitat, loss to specific ecosystems, and negative yield impacts for major cereal crops in the tropics, but also projects that there likely will be some beneficial impacts on crop yields in temperate regions.

Causes of Climate Change

The IPCC Report states that the world has warmed by about 0.74°C in the last 100 years. The IPCC Report finds that most of the temperature increase since the mid-20th century is very likely due to the increase in anthropogenic concentrations of CO₂ and other long-lived greenhouse gases (GHGs) such as methane and nitrous oxide in the atmosphere, rather than from natural causes.

Increasing the CO₂ concentration partially blocks the earth's re-radiation of captured solar energy in the infrared band, inhibits the radiant cooling of the earth, and thereby alters the energy balance of the planet, which gradually increases its average temperature. The IPCC Report estimates that currently, CO₂ makes up about 77% of the total CO₂-equivalent^h global warming potential in GHGs emitted from human activities, with the vast majority (74%) of the CO₂ attributable to fossil fuel use. For the future, the IPCC Report describes a wide range of GHG emissions scenarios, but under each scenario CO₂ would continue to comprise above 70% of the total global warming potential.

Stabilization of CO₂ Concentrations

Unlike many traditional air pollutants, CO₂ mixes thoroughly in the entire atmosphere and is long-lived. The residence time of CO₂ in the atmosphere is long compared to the emission processes. Therefore, the *global cumulative* emissions of CO₂ over long periods determine CO₂ concentrations because it takes hundreds of years for natural processes to remove the CO₂. Globally, 49 billion metric tons of CO₂-equivalent of anthropogenic (man-made) greenhouse gases are emitted every year. Of this annual total, fossil fuels contribute about 29 billion metric tons of CO₂.ⁱ

Researchers have focused on considering atmospheric CO₂ concentrations that likely will result in some level of global climate stabilization, and the emission rates associated with achieving the “stabilizing” concentrations by particular dates. They associate these stabilized CO₂ concentrations with temperature increases that plateau in a defined range. For example, at the low end, the IPCC Report scenarios target CO₂ stabilized concentrations range between 350 ppm and 400 ppm (essentially today's

^h GHGs differ in their warming influence (radiative forcing) on a global climate system due to their different radiative properties and lifetimes in the atmosphere. These warming influences may be expressed through a common metric based on the radiative forcing of CO₂, i.e., CO₂-equivalent. CO₂ equivalent emission is the amount of CO₂ emission that would cause the same- time integrated radiative forcing, over a given time horizon, as an emitted amount of other long- lived GHG or mixture of GHGs.

ⁱ Other non-fossil fuel contributors include CO₂ emissions from deforestation and decay from agriculture biomass; agricultural and industrial emissions of methane; and emissions of nitrous oxide and fluorocarbons.

value)—because of climate inertia, concentrations in this low end range would still result in temperatures projected to increase 2.0°C to 2.4°C above pre-industrial levels^j (about 1.3°C to 1.7°C above today's levels). To achieve concentrations between 350 ppm to 400 ppm, the IPCC scenarios present that there would have to be a rapid downward trend in total annual global emissions of greenhouse gases to levels that are 50% to 85% below today's annual emission rates by no later than 2050. Since it is assumed that there would continue to be growth in global populations and substantial increases in economic production, the scenarios identify required reductions in greenhouse gas emissions intensity (emissions per unit of output) of more than 90%. However, even at these rates, the scenarios describe some warming and some climate change is projected due to already accumulated CO₂ and GHGs in the atmosphere.

The Beneficial Impact of the Rule on CO₂ Emissions

If finalized, it is anticipated that the Rule will reduce energy-related CO₂ emissions, particularly those associated with energy consumption in buildings. In the United States, the U.S. Energy Information Administration reports in its 2008 Annual Energy Outlook (AEO 2008)^k that U.S. annual energy-related emissions of CO₂ in 2005 were about 5.98 billion metric tons (about 20% of the world energy-related CO₂ emissions and about 12% of total global greenhouse gas emissions), of which 2.32 billion tons were attributed to residential and commercial buildings sector (including related energy-using equipment such as PTACs and PTHPs). Most of the greenhouse gas emissions attributed to residential and commercial buildings are emitted from fossil fuel-fired power plants that generate electricity used in this sector. In the AEO2008 reference case, EIA projected that annual energy-related CO₂ emissions would grow from 6.0 billion metric tons in 2005 to 6.85 billion metric tons in 2030, an increase of 14.5% (see Table 16.2.2, based on AEO 2008), while emissions attributable to buildings would grow to 2.92 billion tons, an increase of 26.1%.

As computed for the AEO 2008 reference case, the cumulative U.S. energy-related CO₂ emissions between 2012 and 2042 are described at about 209 billion metric tons. The estimated cumulative CO₂ emission reductions from a PTAC and PTHP Efficiency Standard (shown as a range of alternative Trial Standard Levels) during this same 30-year period are indicated in Table 16.2.1. The estimated CO₂ emission reductions in Table 16.2.1 are calculated using NEMS-BT model.

^j IPCC Working Group 3 Table TS 2

^k www.eia.doe.gov/oiaf/archive/aeo08/index.html

Table 16.2.1 Impact of the PTAC and PTHP Efficiency Standard on Cumulative Energy-Related Emissions of CO₂ Between 2012 and 2042 by Trial Standard Level (Millions of Metric Tons CO₂)

	TSL 1	TSL 2	TSL 3	TSL A	TSL 4	TSL 5	TSL 6
Standard Size PTACs and PTHPS*	- 0.49	- 0.81	- 1.05	- 1.06	- 1.09	- 1.68	- 2.34
	TSL 1	TSL 2	TSL 3	TSL 4	TSL 5		
Non-Standard PTACs and PTHPs	- 0.12	-0.14	- 0.18	- 0.20	- 0.29		

* All results in metric tons, equivalent to 1.1 short tons and negative values refer to a reduction compared with the Base Case

The estimated savings shown in Table 16.2.1, which are at most 0.001 percent of U.S. energy-related emissions of CO₂ (TSL 6 for Standard Size PTACs and PTHPs), comprise an even smaller fraction of U.S. emissions of greenhouse gases and of world emissions of greenhouse gases. However, the savings would likely reduce overall U.S. CO₂ emissions, as compared to U.S. CO₂ emissions absent an increase in the required efficiency of PTACs and PTHPs.

The Incremental Impact of the Rule on Climate Change

It is difficult to correlate specific emission rates with atmospheric concentrations of CO₂ and specific atmospheric concentrations with future temperatures because the IPCC Report describes a clear lag in the climate system between any given concentration of CO₂ (even if maintained for long periods) and the subsequent average worldwide and regional temperature, precipitation, and extreme weather regimes. For example, a major determinant of climate response is “equilibrium climate sensitivity”, a measure of the climate system response to sustained radioactive forcing. It is defined as the global average surface warming following a doubling of carbon dioxide concentrations. The IPCC Report describes its estimated, numeric value as about 3°C, but the likely range of that value is 2°C to 4.5°C, with cloud feedbacks the largest source of uncertainty. Further, as illustrated above, the IPCC Report scenarios for stabilization rates are presented in terms of a range of concentrations, which then correlates to a range of temperature changes. Thus, climate sensitivity is a key uncertainty for CO₂ mitigation scenarios that aim to meet specific temperature levels.

Because of how complex global climate systems are, it is difficult to know to what extent and when particular CO₂ emissions rates will impact global warming. However, as Table 16.2.1 indicates, the Rule will likely reduce CO₂ emissions rates from the fossil fuel sector.

16.2.4 Analytical Methods for Air Emissions

NEMS-BT incorporates capabilities to assess compliance with SO₂ restrictions specified in the Clean Air Act and its amendments. Clean air act provisions include New

Source Performance Standards, and Revised New Source Performance Standards. The version of NEMS-BT in 2008 also included provisions for the Clean Air Interstate Rule (CAIR), which imposes stricter restrictions on SO₂ and NO_x for some states, and the Clean Air Mercury Rule (CAMR), which imposed a national mercury (Hg) constraint. On July 11, 2008, the U.S. Court of Appeals for the District of Columbia Circuit (D.C. Circuit) issued its decision in North Carolina v. Environmental Protection Agency, vacating the CAIR. 531 F.3d 896 (D.C. Cir. 2008). Although the constraints on NO_x in CAIR and mercury in CAMR have since been vacated by a court decision, the AEO 2008 reference case assumes that emissions of NO_x and mercury would decline over time as shown in Table 16.2.2.

Because the courts vacated CAIR and CAMR, the 2008 version of NEMS-BT could not be used directly to estimate emissions impacts for NO_x and mercury. Instead, DOE established a range of NO_x reductions due to standards. DOE's high estimate was based on the use of a nationwide NO_x emission rate for electrical generation. DOE derived a current NO_x emission rate for the power sector based on data from the AEO 2008. DOE based the emission rate on the tons of NO_x emitted per TWh of electricity generated in 2006. Use of such an emission rate assumes that future energy conservation standards would result in displaced electrical generation mix that is equivalent to today's mix of power plants (i.e., future power plants displaced are no cleaner than what are being used currently to generate electricity). In addition, under the high estimate assumption, energy conservation standards would have little to no effect on the generation mix. Based on AEO2008 for a recent year (2006) in which no regulatory or non-regulatory measures were in effect to limit NO_x emissions, DOE multiplied this emission rate by the reduction in electricity generation due to the standards considered. For 2006, the NO_x emission rate was 0.843 kt/TWh. DOE's low estimate was based on the use of an emission rate for new combined-cycle gas plants as provided in the NEMS-BT. This emission rate equals 0.0341 kt/TWh and represents the lowest emission rate of fossil-fuel based generation that might be displaced under standards. To estimate the reduction in NO_x emissions, DOE multiplied this emission rate by the reduction in electricity generation due to the standards considered. The range in NO_x emission changes calculated using the low and high estimate scenarios are shown by TSL for standard-sized and non-standard size PTACs and PTHPS in Table 16.2.3, Table 16.2.4, Table 16.2.5 and Table 16.2.6 for the period from 2012 to 2042.

DOE also is able to report an estimate of the physical quantity changes in mercury (Hg) emissions associated with an energy conservation standard. As opposed to using the NEMS-BT model, DOE established a range of Hg reductions due to standards. DOE's high estimate used a mercury emission rate based on the AEO 2008. Because virtually all mercury emitted from electricity generation is from coal-fired power plants, DOE based the emission rate on the tons of mercury emitted per TWh of coal-generated electricity. Because power plant emission rates are a function of local regulation, scrubbers, and the mercury content of coal, it is extremely difficult to come up with a precise high-end emission rate. Therefore, DOE believes the most reasonable estimate is

based on the assumption that all displaced coal generation would have been emitting at the average emission rate for coal generation as specified by AEO2008.

DOE based the emission rate on the average value reported in the AEO 2008 for 2006. This emission rate is 0.0255 tons per TWh. DOE's low estimate was based on the use of an emission rate for new combined-cycle gas plants as provided in the NEMS-BT. The emission rate for this generation technology is 0.000 tons per TWh. To estimate the reduction in mercury emissions, DOE multiplied the emission rate by the reduction in coal-generated electricity due to the standards considered as determined in the utility impact analysis. The estimated changes in Hg emissions are shown in by TSL for standard-sized and non-standard size PTACs and PTHPS in Table 16.2.3 through Table 16.2.6 for the period from 2012 to 2042.

Coal-fired electric generation is the single largest source of electricity in the United States. Because the mix of coals used significantly affects the emissions produced, the model includes a detailed representation of coal supply. The model considers the rank of the coal as well as the sulfur contents of the fuel used when determining optimal dispatch.

Within the NEMS-BT model, planning options for achieving emissions restrictions in the Clean Air Act Amendments include installing pollution control equipment on existing power plants and building new power plants with low emission rates. These methods for reducing emission are compared to dispatching options such as fuel switching and allowance trading. Environmental regulations also affect capacity expansion decisions. For instance, new plants are not allocated SO₂ emissions allowances according to the Clean Air Act Amendments. Consequently, the decision to build a particular capacity type must consider the cost (if any) of obtaining sufficient allowances. This could involve purchasing allowances or over complying at an existing unit.

Modeling of SO₂ trading tends to imply that the physical emissions effects will be zero, as long as emissions are at the allowed ceiling. Because SO₂ has been regulated with emissions caps for more than a decade, and no emissions reductions are reported from the NEMS-BT forecast model, DOE does not report SO₂ results here. This assumption is consistent with previous DOE environmental assessment documents.¹

As noted in Chapter 14, NEMS-BT model forecasts end in year 2030. Emissions impacts beyond 2030 were extrapolated for this rulemaking in Table 16.2.3 through Table 16.2.6.

16.2.5 Effects on Power Plant Emissions

Table 16.2.2 shows reference power plant emissions in selected years. The Annual Energy Outlook (AEO) 2008 Reference case emissions are the emissions shown by the NEMS-BT model to result if none of the TSLs are promulgated. Table 16.2.3 through Table 16.2.6 show estimated changes in emissions in selected years for all the PTAC and PTHP equipment under each of seven TSLs, grouping for standard size

PTACs and PTHPs and five TSLs for non-standard size PTACs and PTHPs. Changes in NO₂ and mercury emissions from power plants are shown in these tables. Changes in CO₂ emissions from *all* sources are also shown in these four tables.

Table 16.2.2 Emissions Forecast for AEO 2008 Reference Case

NEMS-BT Results:	2005	2010	2015	2020	2025	2030
CO ₂ (Million metric tons/year) *,**	2,397	2,413	2,519	2,627	2,771	2,948
NO _x (Thousand tons/year)†	3,639	2,338	2,112	2,112	2,142	2,169
Hg (tons/year)†	51.72	37.24	24.19	18.48	16.69	15.41

* Metric tons, equivalent to 1.1 short tons

** Emissions from all energy-related sources

† Emissions from electric generation .

Compared to the anticipated reference case emissions impacts forecast shown in Table 16.2.2, changes in emission levels shown in Table 16.2.3 through Table 16.2.6 are extremely small. In general, the NEMS-BT model results show a general trend toward slightly reduced emission levels over time for most if not all the equipment types.

Table 16.2.3 Emissions Impact Forecasts for Standard Size PTACs

NEMS-BT Results:	Difference from Reference Case						
	2015	2020	2025	2030	Extrapolation		
					2035	2040	2042
Trial Standard Levels 1,2,4							
CO ₂ (Million metric tons/year)	-0.006	-0.009	-0.009	-0.005	-0.005	-0.005	-0.005
NOx (Thousand tons/year)							
High	-0.0043	-0.0084	-0.0113	-0.0129	-0.0129	-0.0129	-0.0129
Low	-0.0002	-0.0003	-0.0005	-0.0005	-0.0005	-0.0005	-0.0005
Hg (tons/year)							
High	-0.0002	-0.0003	-0.0003	-0.0002	-0.0002	-0.0002	-0.0002
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level 3							
CO ₂ (Million metric tons/year)	-0.013	-0.021	-0.021	-0.012	-0.012	-0.012	-0.012
NOx (Thousand tons/year)							
High	-0.0095	-0.0188	-0.0252	-0.0288	-0.0288	-0.0288	-0.0288
Low	-0.0004	-0.0008	-0.0010	-0.0012	-0.0012	-0.0012	-0.0012
Hg (tons/year)							
High	-0.0005	-0.0008	-0.0007	-0.0004	-0.0004	-0.0004	-0.0004
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level A							
CO ₂ (Million metric tons/year)	-0.008	-0.014	-0.014	-0.008	-0.008	-0.008	-0.008
NOx (Thousand tons/year)							
High	-0.0062	-0.0122	-0.0163	-0.0186	-0.0186	-0.0186	-0.0186
Low	-0.0002	-0.0005	-0.0007	-0.0008	-0.0008	-0.0008	-0.0008
Hg (tons/year)							
High	-0.0003	-0.0005	-0.0005	-0.0003	-0.0003	-0.0003	-0.0003
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level 5							
CO ₂ (Million metric tons/year)	-0.023	-0.037	-0.037	-0.022	-0.022	-0.022	-0.022
NOx (Thousand tons/year)							
High	-0.0169	-0.0333	-0.0447	-0.0509	-0.0509	-0.0509	-0.0509
Low	-0.0007	-0.0013	-0.0018	-0.0021	-0.0021	-0.0021	-0.0021
Hg (tons/year)							
High	-0.0008	-0.0013	-0.0013	-0.0007	-0.0007	-0.0007	-0.0007
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level 6							
CO ₂ (Million metric tons/year)	-0.035	-0.057	-0.057	-0.033	-0.033	-0.033	-0.033
NOx (Thousand tons/year)							
High	-0.0259	-0.0512	-0.0686	-0.0782	-0.0782	-0.0782	-0.0782
Low	-0.0010	-0.0021	-0.0028	-0.0032	-0.0032	-0.0032	-0.0032
Hg (tons/year)							
High	-0.0013	-0.0021	-0.0020	-0.0011	-0.0011	-0.0011	-0.0011
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

* Negative values refer to a reduction compared with the Base Case

Table 16.2.4 Emissions Impact Forecasts for Non-Standard Size PTACs

NEMS-BT Results:	Difference from Reference Case						
	2015	2020	2025	2030	Extrapolation		
					2035	2040	2042
Trial Standard Levels 1&2							
CO ₂ (Million metric tons/year)	-0.002	-0.003	-0.003	-0.002	-0.002	-0.002	-0.002
NOx (Thousand tons/year)							
High	-0.0013	-0.0026	-0.0035	-0.0040	-0.0040	-0.0040	-0.0040
Low	-0.0001	-0.0001	-0.0001	-0.0002	-0.0002	-0.0002	-0.0002
Hg (tons/year)							
High	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level 3							
CO ₂ (Million metric tons/year)	-0.003	-0.005	-0.005	-0.003	-0.003	-0.003	-0.003
NOx (Thousand tons/year)							
High	-0.0022	-0.0043	-0.0057	-0.0065	-0.0065	-0.0065	-0.0065
Low	-0.0001	-0.0002	-0.0002	-0.0003	-0.0003	-0.0003	-0.0003
Hg (tons/year)							
High	-0.0001	-0.0002	-0.0002	-0.0001	-0.0001	-0.0001	-0.0001
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Levels 4							
CO ₂ (Million metric tons/year)	-0.002	-0.003	-0.003	-0.002	-0.004	-0.004	-0.004
NOx (Thousand tons/year)							
High	-0.0013	-0.0026	-0.0035	-0.0040	-0.0100	-0.0100	-0.0100
Low	-0.0001	-0.0001	-0.0001	-0.0002	-0.0002	-0.0002	-0.0002
Hg (tons/year)							
High	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level 5							
CO ₂ (Million metric tons/year)	-0.004	-0.007	-0.007	-0.004	-0.0043	-0.0043	-0.0043
NOx (Thousand tons/year)							
High	-0.0033	-0.0066	-0.0088	-0.0100	-0.0100	-0.0100	-0.0100
Low	-0.0001	-0.0003	-0.0004	-0.0004	-0.0004	-0.0004	-0.0004
Hg (tons/year)							
High	-0.0002	-0.0003	-0.0003	-0.0001	-0.0001	-0.0001	-0.0001
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Table 16.2.5 Emissions Impact Forecasts for Standard Size PTHPs

NEMS-BT Results:	Difference from Reference Case						
	2015	2020	2025	2030	Extrapolation		
					2035	2040	2042
Trial Standard Levels 1,2,4							
CO ₂ (Million metric tons/year)	-0.010	-0.016	-0.015	-0.006	-0.006	-0.006	-0.006
NOx (Thousand tons/year)							
High	-0.0866	-0.1716	-0.2308	-0.2642	-0.2642	-0.2642	-0.2642
Low	-0.0035	-0.0069	-0.0093	-0.0107	-0.0107	-0.0107	-0.0107
Hg (tons/year)							
High	-0.0003	-0.0005	-0.0005	-0.0003	-0.0003	-0.0003	-0.0003
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level 3							
CO ₂ (Million metric tons/year)	-0.021	-0.034	-0.031	-0.013	-0.013	-0.013	-0.013
NOx (Thousand tons/year)							
High	-0.1812	-0.3591	-0.4830	-0.5530	-0.5530	-0.5530	-0.5530
Low	-0.0073	-0.0145	-0.0195	-0.0224	-0.0224	-0.0224	-0.0224
Hg (tons/year)							
High	-0.0006	-0.0010	-0.0010	-0.0006	-0.0006	-0.0006	-0.0006
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level A							
CO ₂ (Million metric tons/year)	-0.027	-0.043	-0.039	-0.016	-0.016	-0.016	-0.016
NOx (Thousand tons/year)							
High	-0.2297	-0.4552	-0.6123	-0.7009	-0.7009	-0.7009	-0.7009
Low	-0.0093	-0.0184	-0.0248	-0.0284	-0.0284	-0.0284	-0.0284
Hg (tons/year)							
High	-0.0008	-0.0013	-0.0013	-0.0007	-0.0007	-0.0007	-0.0007
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level 5							
CO ₂ (Million metric tons/year)	-0.031	-0.049	-0.045	-0.019	-0.019	-0.019	-0.019
NOx (Thousand tons/year)							
High	-0.2648	-0.5247	-0.7058	-0.8080	-0.8080	-0.8080	-0.8080
Low	-0.0107	-0.0212	-0.0286	-0.0327	-0.0327	-0.0327	-0.0327
Hg (tons/year)							
High	-0.0009	-0.0015	-0.0015	-0.0008	-0.0008	-0.0008	-0.0008
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Level 6							
CO ₂ (Million metric tons/year)	-0.039	-0.062	-0.057	-0.023	-0.023	-0.023	-0.023
NOx (Thousand tons/year)							
High	-0.3351	-0.6641	-0.8933	-1.0227	-1.0227	-1.0227	-1.0227
Low	-0.0136	-0.0269	-0.0361	-0.0414	-0.0414	-0.0414	-0.0414
Hg (tons/year)							
High	-0.0011	-0.0019	-0.0018	-0.0010	-0.0010	-0.0010	-0.0010
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Table 16.2.6 Emissions Impact Forecasts for Non-Standard Size PTHPs

NEMS-BT Results:	Difference from Reference Case						
	2015	2020	2025	2030	Extrapolation		
					2035	2040	2042
Trial Standard Level 1							
CO2 (Million metric tons/year)	-0.002	-0.003	-0.003	-0.001	-0.001	-0.001	-0.001
NOx (Thousand tons/year)							
High	-0.0180	-0.0357	-0.0480	-0.0549	-0.0549	-0.0549	-0.0549
Low	-0.0007	-0.0014	-0.0019	-0.0022	-0.0022	-0.0022	-0.0022
Hg (tons/year)							
High	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Levels 2&3							
CO2 (Million metric tons/year)	-0.003	-0.005	-0.004	-0.002	-0.002	-0.002	-0.002
NOx (Thousand tons/year)							
High	-0.0247	-0.0489	-0.0657	-0.0753	-0.0753	-0.0753	-0.0753
Low	-0.0010	-0.0020	-0.0027	-0.0030	-0.0030	-0.0030	-0.0030
Hg (tons/year)							
High	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001	-0.0001
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Trial Standard Levels 4&5							
CO2 (Million metric tons/year)	-0.005	-0.008	-0.007	-0.003	-0.003	-0.003	-0.003
NOx (Thousand tons/year)							
High	-0.0416	-0.0824	-0.1109	-0.1269	-0.1269	-0.1269	-0.1269
Low	-0.0017	-0.0033	-0.0045	-0.0051	-0.0051	-0.0051	-0.0051
Hg (tons/year)							
High	-0.0001	-0.0002	-0.0002	-0.0001	-0.0001	-0.0001	-0.0001
Low	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

16.2.6 Effects on Upstream Fuel-Cycle Emissions

Fuel-cycle emissions refer to the emissions associated with the amount of energy used in the upstream production and downstream consumption of electricity, including energy used at the power plant. Upstream processes include the mining of coal or extraction of natural gas, physical preparatory and cleaning processes, and transportation to the power plant. The NEMS-BT does a thorough accounting of emissions at the power plant due to downstream energy consumption, but does not account for upstream emissions (i.e., emissions from energy losses during coal and natural gas production). Thus, this analysis reports only power plant emissions.

However, previous DOE environmental assessment documents have developed qualitative estimates of affects on upstream fuel-cycle emissions. These emissions

factors provide the reader with a sense of the possible magnitude of upstream effects. These upstream emissions would be in addition to emissions from direct combustion. Relative to the entire fuel cycle, estimates based on the work of Dr. Mark DeLuchi, and reported in earlier DOE environmental assessment documents, find that an amount approximately equal to eight percent, by mass, of emissions (including SO₂) from coal production are due to mining, preparation that includes cleaning the coal, and transportation from the mine to the power plant.^{1, 2} Transportation emissions include emissions from the fuel used by the mode of transportation that moves the coal from the mine to the power plant.

In addition, based on Dr. DeLuchi's work, DOE estimated that approximately an amount equal to 14 percent of emissions from natural gas production result from upstream processes. Emission factor estimates and corresponding percentages of contributions of upstream emissions from coal and natural gas production, relative to power plant emissions, are shown in Table 16.2.7 for CO₂, and NO_x. The percentages are relative to power plant emissions and provide a means to estimate upstream emission savings based on changes in emissions from power plants. The percentage effects presented in Table 15.2.6 provide a qualitative approach to viewing effects on fuel cycle emissions. The previous section indicates slight overall reductions in CO₂, and NO_x. Thus, very small reductions in upstream emissions of air pollutant could be expected. This approach does not address mercury emissions.

Table 16.2.7 Estimated Upstream Emissions of Air Pollutants as a Percentage of Direct Power Plant Combustion Emissions

Pollutant	Percent of Coal Combustion Emissions	Percent of Natural Gas Combustion Emissions
CO ₂	2.7	11.9
NO _x	5.8	40

16.2.7 Economic Valuation of Emissions Reductions

In addition to the estimation of reductions in physical emissions from an energy conservation standard, the analysis also considered the monetary benefits associated with these reductions.

Carbon Dioxide (CO₂)

During the preparation of its most recent review of the state of climate science, the Intergovernmental Panel on Climate Change (IPCC) identified various estimates of the present value of reducing carbon dioxide emissions by one ton over the life that these emissions would remain in the atmosphere. The estimates reviewed by the IPCC spanned a range of values. In the absence of a consensus on any single estimate of the monetary value of CO₂ emissions, DOE used an estimate identified by the study cited in Summary for Policymakers prepared by Working Group II of the IPCC's Fourth Assessment Report

to calculate the potential monetary value of the CO₂ reductions likely to result from the standards under consideration in this rulemaking.

To put the potential monetary benefits from reduced CO₂ emissions into a form that is likely to be most useful to decision makers and interested parties, the estimated year-by-year reductions in CO₂ emissions were converted into monetary values and these resulting annual values were then discounted over the life of the affected appliances to the present using both 3 percent and 7 percent discount rates. DOE applied an annual growth rate of 2.4% to the value of SCC, as suggested by the IPCC Working Group II (2007, p. 822), based on estimated increases in damages from future emissions reported in published studies. As a result, DOE is assigned a range for the SCC of \$0 to \$20 (\$2007) per ton of CO₂ emissions. These estimates were based on an assumption of no benefit to an average benefit value reported by the IPCC as the Social Cost of Carbon (SCC).¹ The resulting estimates of the potential range of the present value of benefits associated with the reduction of CO₂ emissions are reflected in Table 16.2.8.

¹ During the preparation of its most recent review of the state of climate science, the Intergovernmental Panel on Climate Change (IPCC) identified various estimates of the present value of reducing carbon-dioxide emissions by one ton over the life that these emissions would remain in the atmosphere. The estimates reviewed by the IPCC spanned a range of values. In the absence of a consensus on any single estimate of the monetary value of CO₂ emissions, DOE used the estimates identified by the study cited in Summary for Policymakers prepared by Working Group II of the IPCC's Fourth Assessment Report to estimate the potential monetary value of CO₂ reductions likely to result from standards finalized in this rulemaking. According to IPCC, the mean social cost of carbon (SCC) reported in studies published in peer-reviewed journals was \$43 per ton of carbon. This translates into about \$12 per ton of carbon dioxide. The literature review (Tol 2005) from which this mean was derived did not report the year in which these dollars were denominated. However, we understand this estimate was denominated in 1995 dollars. Updating that estimate 1995 estimate to 2007 dollars yields a SCC of \$15 per ton of carbon dioxide.

Table 16.2.8 Estimates of Savings from CO₂ Emissions Reductions under PTAC and PTHP Trial Standard Levels at 7% Discount Rate and 3% Discount Rate

Trial Standard Level	Estimated Cumulative CO₂ (Million metric tons) Emission Reductions	Value of Estimated CO₂ Emission Reductions Based on IPCC Range (Million 2007\$) at 7% Discount Rate	Value of Estimated CO₂ Emission Reductions Based on IPCC Range (Million 2007\$) at 3% Discount Rate
Standard Size PTACs and PTHPs			
TSL 1	0.49	\$0 to \$4.8	\$0 to \$9.0
TSL 2	0.81	\$0 to \$8.0	\$0 to \$14.9
TSL 3	1.05	\$0 to \$10.4	\$0 to \$19.4
TSL A	1.06	\$0 to \$10.5	\$0 to \$19.5
TSL 4	1.09	\$0 to \$10.8	\$0 to \$20.0
TSL 5	1.68	\$0 to \$16.5	\$0 to \$30.9
TSL 6	2.34	\$0 to \$22.9	\$0 to \$43.0
Non-Standard Size PTACs and PTHPs			
TSL 1	0.12	\$0 to \$1.2	\$0 to \$2.2
TSL 2	0.14	\$0 to \$1.4	\$0 to \$2.7
TSL 3	0.18	\$0 to \$1.8	\$0 to \$3.4
TSL 4	0.20	\$0 to \$2.0	\$0 to \$3.7
TSL 5	0.29	\$0 to \$2.9	\$0 to \$5.4

The IPCC estimate used as the upper bound value was derived from an estimate of the mean value of worldwide impacts from potential climate impacts caused by CO₂ emissions, and not just the effects likely to occur within the United States. DOE considers that in estimating a monetary value for CO₂ emission reductions, the values should be restricted to a representation of those costs/benefits likely to be experienced in the United States and expects that such values would be lower than comparable global values. There currently are no consensus estimates for the U.S. benefits likely to result from CO₂ emission reductions. However, DOE believes it is appropriate to use U.S. benefit values, where available, and not world benefit values, in its analysis.^m

Given the uncertainty surrounding estimates of the SCC, relying on any single study may be inadvisable since its estimate of the SCC will depend on many assumptions made by its authors. The Working Group II's contribution to the Fourth Assessment

^m In contrast, most of the estimates of costs and benefits of increasing the efficiency of PTACs and PTHPs include only economic values of impacts that would be experienced in the U.S. For example, in determining impacts on manufacturers, DOE generally does not consider impacts that occur solely outside of the United States.

Report of the IPCC notes that:

The large ranges of SCC are due in the large part to differences in assumptions regarding climate sensitivity, response lags, the treatment of risk and equity, economic and non-economic impacts, the inclusion of potentially catastrophic losses, and discount rates.ⁿ

DOE believes that the most appropriate monetary values for consideration in the development of efficiency standards are those drawn from studies that attempt to estimate the present value of the marginal economic benefits likely to result from reducing greenhouse gas emissions, rather than estimates that are based on the market value of emission allowances under existing cap and trade programs or estimates that are based on the cost of reducing emissions - both of which are largely determined by policy decisions that set the timing and extent of emission reductions and do not necessarily reflect the benefit of reductions. DOE also believes that the studies it relies upon generally should be studies that were the subject of a peer review process and were published in reputable journals.

The upper bound of the range used by DOE is based on Tol (2005), which reviewed 103 estimates of the SCC from 28 published studies, and concluded that when only peer-reviewed studies published in recognized journals are considered, “that climate change impacts may be very uncertain but [it] is unlikely that the marginal damage costs of carbon dioxide emissions exceed \$50 per ton carbon [comparable to a 2007 value of \$20 per ton carbon dioxide when expressed in 2007 U.S. dollars with a 2.4% growth rate.]”

In setting a lower bound of \$0, DOE agrees with the IPCC Working Group II (2007) report that “significant warming across the globe and the locations of significant observed changes in many systems consistent with warming is very unlikely to be due solely to natural variability of temperatures or natural variability of the systems” (pp. 9), and thus tentatively concludes that a global value of zero for reducing emissions cannot be justified. However, DOE also believes that it is reasonable to allow for the possibility that the U.S. portion of the global cost of carbon dioxide emissions may be quite low. In fact, some of the studies looked at in Tol (2005) reported negative values for the SCC. As stated in the NOPR, DOE is using U.S. benefit values, and not world benefit values, in its analysis and, further, DOE believes that U.S. domestic values will be lower than the global values. Additionally, the statutory criteria in EPCA do not require consideration of global effects. Therefore, DOE is using a lower bound of \$0 per ton of CO₂ emissions in estimating the potential benefits.

Nitrogen Oxides (NO_x) and Mercury

DOE also investigated the monetary impact of efficiency standards on NO_x,

ⁿ *Climate Change 2007 – Impacts, Adaptation and Vulnerability*
Contribution of Working Group II to the Fourth Assessment Report of the IPCC, 17. Available at <http://www.ipcc-wg2.org> (last accessed Aug. 7, 2008).

mercury (Hg), and SO₂. National SO₂ emissions are currently subject to a national cap and trade system by regulation while NO_x and Hg are not. For the range of NO_x reduction estimates (and Hg reduction estimates), DOE estimated the national monetized benefits of emissions reductions based on environmental damage estimates from the literature. The effect of the SO₂ caps is that equipment efficiency standards will have almost no effect on physical emissions of SO₂, but if large enough, could cause incremental changes in the prices of emissions allowances in cap-and-trade emissions markets.

Because of the court ruling discussed in Section 16.2.2, emissions of NO_x from electricity generation are not controlled by the regulatory caps. For these emissions, DOE estimated the national monetized benefits of emissions reductions based on environmental damage estimates from the literature. Available estimates suggest a very wide range of monetary values for NO_x emissions, ranging from \$370 per ton to \$3,800 per ton of NO_x from stationary sources, measured in 2001 dollars^o or a range of \$432 per ton to \$4,441 per ton in 2007 dollars.

DOE conducted research and determined that the basic science linking mercury emissions from power plants to impacts on humans is considered highly uncertain. However, DOE located two estimates of the environmental damages of mercury based on two estimates of the adverse impact of childhood exposure to methyl mercury on IQ for American children, and subsequent loss of lifetime economic productivity resulting from these IQ losses. The high-end estimate is based on an estimate of the current aggregate cost of the loss of IQ that results from exposure of American children of U.S. power plant origin of \$1.3 billion per year in year 2000\$, which works out to \$32.6 million per ton emitted per year (2007\$).^p The low-end estimate is \$664,000 per ton emitted in 2004\$ or \$729,000 per ton in 2007\$, which DOE derived from a published evaluation of mercury control using different methods and assumptions from the first study, but also based on the present value of the lifetime earnings of children exposed.^q The resulting estimates of the potential range of the present value benefits associated with the national reduction of NO_x and Hg emissions are reflected in Table 16.2.9 and Table 16.2.10.

^o 2006 Report to Congress on the Costs and Benefits of Federal Regulations and Unfunded Mandates on State, Local, and Tribal Entities. Office of Management and Budget Office of Information and Regulatory Affairs, Washington, D.C.

^p Trasande, L., et al., "Applying Cost Analyses to Drive Policy that Protects Children" 1076 ANN. N.Y. ACAD. SCI. 911 (2006).

^q Ted Gayer and Robert Hahn, *Designing Environmental Policy: Lessons from the Regulation of Mercury Emissions*, Regulatory Analysis 05-01. AEI-Brookings Joint Center For Regulatory Studies, Washington, D.C., 31 pp., 2004. A version of this paper was published in the *Journal of Regulatory Economics* in 2006. The estimate was derived by back-calculating the annual benefits per ton from the net present value of benefits reported in the study.

Table 16.2.9 Estimates of Savings from Reductions of NOx and Hg under PTAC and PTHP Trial Standard Levels at a 7% Discount Rate

Trial Standard Level	Estimated Cumulative NOx (kt) Emission Reductions	Value of Estimated NOx Emission Reductions (Thousand 2007\$)	Estimated Cumulative Hg (tons) Emission Reductions	Value of Estimated Hg Emission Reductions (Thousand 2007\$)
Standard Size PTACs and PTHPs				
TSL 1	0.04-0.94	\$4-\$1,091	0-0.017	\$0-\$182
TSL 2	0.07-1.64	\$7-\$1892	0-0.028	\$0-\$299
TSL 3	0.08-2.02	\$9-\$2,335	0-0.037	\$0-\$392
TSL A	0.09-2.13	\$10-\$2,462	0-0.037	\$0-\$393
TSL 4	0.09-2.25	\$10-\$2,599	0-0.038	\$0-\$403
TSL 5	0.13-3.17	\$14-\$3,658	0-0.059	\$0-\$624
TSL 6	0.18-4.34	\$20-\$5,014	0-0.082	\$0-\$871
Non-Standard Size PTACs and PTHPs				
TSL 1	0.01-0.23	\$1-\$263	0-0.004	\$0-\$45
TSL 2	0.01-0.28	\$1-\$319	0-0.005	\$0-\$54
TSL 3	0.01-0.34	\$2-\$390	0-0.006	\$0-\$69
TSL 4	0.02-0.40	\$2-\$463	0-0.007	\$0-\$75
TSL 5	0.02-0.55	\$2-\$631	0-0.010	\$0-\$110

Table 16.2.10 Preliminary Estimates of Savings from Reductions of NOx and Hg under PTAC and PTHP Trial Standard Levels at a 3% Discount Rate

Trial Standard Level	Estimated Cumulative NOx (kt) Emission Reductions	Value of Estimated NOx Emission Reductions (Thousand 2007\$)	Estimated Cumulative Hg (tons) Emission Reductions	Value of Estimated Hg Emission Reductions (Thousand 2007\$)
Standard Size PTACs and PTHPs				
TSL 1	0.04-0.94	\$9-\$2,250	0-0.017	\$0-\$331
TSL 2	0.07-1.64	\$15-\$3,903	0-0.028	\$0-\$544
TSL 3	0.08-2.02	\$19-\$4,815	0-0.037	\$0-\$712
TSL A	0.09-2.13	\$20-\$5,079	0-0.037	\$0-\$714
TSL 4	0.09-2.25	\$21-\$5,362	0-0.038	\$0-\$732
TSL 5	0.13-3.17	\$30-\$7,545	0-0.059	\$0-\$1,135
TSL 6	0.18-4.34	\$41-\$10,341	0-0.082	\$0-\$1,582
Non-Standard Size PTACs and PTHPs				
TSL 1	0.01-0.23	\$2-\$542	0-0.004	\$0-\$83
TSL 2	0.01-0.28	\$3-\$659	0-0.005	\$0-\$98
TSL 3	0.01-0.34	\$3-\$805	0-0.006	\$0-\$125
TSL 4	0.02-0.40	\$4-\$954	0-0.007	\$0-\$136
TSL 5	0.02-0.55	\$5-\$1,301	0-0.010	\$0-\$200

Sulfur Dioxide (SO₂)

Unlike the other pollutants considered in this TSD, SO₂ emissions have for some time been subject to a national cap with corresponding annual allowances openly traded; therefore, considerable market experience with these instruments has already been accumulated. It has been argued that imposition of any standard that lowers U.S. national electricity consumption creates beneficial downward pressure on the prices of these allowances, and this cost reduction benefit should be considered in any analysis of a proposed standard. While this assertion is fundamentally sound, i.e. reduced electricity demand should *ceteris paribus* bring about lower SO₂ allowance prices, there are a myriad of complications impeding any meaningful quantification of any associated benefit. While complexity of analysis alone clearly cannot justify disregarding a potential consequence of a standard, the Department additionally believes these benefits to be both volatile and *de minimis* when compared to the direct effects of a standard as estimated in this TSD.

Some of the problems to be confronted in an allowance price effect forecast are:

1. Only any net lowering of the total allowance bill to generators free of transfers is the potential source of a benefit. Any such compliance cost saving would need to be accurately estimated, and this effect is no different from the benefit derived from a cost reduction for other inputs, such as fuel. When the SO₂ allowance market that was created in 1995 under the Clean Air Act Amendments (CA3) began, initial allowance allocations were directly granted to large *affected units* based on their historic (1985-87) use of fuel. For 30 years, allowances for the following year are issued every spring at a declining rate to these entitled parties, and thereafter can be freely used, traded, or banked. Some additional allowances are allocated in diverse ways, e.g. as rewards to generators installing control equipment. In other words, the entitled generators holding emission rights are losers when the value of allowances declines, while the buyers of allowances are gainers. Before they are used, allowances may be traded many times at prices reflecting the marginal not average cost of compliance.
2. The trading system allows for allowance banking. Consequently, any observed change in a forecast year could represent the manifestation of market fundamentals but could similarly just indicate deposit or withdrawal of allowances. In general, used allowances have fallen short of the cap so emissions may exceed the specified cap for future years.
3. Control efforts could further reduce the SO₂ cap for some jurisdictions, creating regulatory uncertainty that perturbs the allowance market. The issuance of the proposed and final CAIR rules were likely contributing factors to allowance price increases leading to a dramatic 2005 allowance price spike. While prices had already fallen far below their historic highs by the time CAIR was vacated in the summer of 2008, spot allowance prices nonetheless made a further precipitous drop following the D.C. Circuit Court ruling.

4. Because allowances can be traded freely by generators, brokers, and investors, they can serve as financial instruments, and, especially since 2003, allowance prices have been volatile. Between 2000, when a tightened CA3 cap came into force, and 2007, allowances traded between a low of about 120 \$/short ton in 2002 and a high of about 1600 \$/short ton, with the 2005 spike being particularly dramatic^f. Since there is no reason to believe that these conditions will alter over the life of a proposed standard, the challenge of forecasting prices is much more complex than a simple supply-demand balance might suggest. Also, note that any quantification of the benefit likely depends on the level of prices as well as their net change. To believe that a simple delta in the prices could be used to estimate the benefit is to believe that the same numerical reduction in price would result from the standard whether the prevailing trading price were \$100 or \$1,000 per short ton.

The forecasting tool used for this TSD is the AEO2008 version of NEMS-BT and generates forecasts of both SO₂ emissions and allowance prices. Unfortunately, this model was released before CAIR was overturned so its forecast enforces the tighter CAIR cap in the affected east of country, and does not represent current conditions. Given the timing of the CAIR ruling relative to the progress of this analysis, attaining projections without CAIR has not been possible. Nonetheless, as an indicative bounding case, the net changes in the average price were computed for the period 2012 to 2030 for standard size equipment at TSL 6 (the most stringent energy conservation standard considered in this analysis). The estimates represent an average of the various model simulations with different impact multipliers (see Appendix J for explanation of multipliers used)^g.

For both PTAC and PTHP equipment, the specific results indicated about a -0.01 percent change in the allowance price in the East region defined within the Electricity Market Module (EMM) of NEMS-BT. The Department considers this effect to be inconsequential relative to other elements in the benefits analysis, and given the significant effort that would be required to develop a refined estimate, the SO₂ allowance price effect is not considered in this TSD. If future analysis suggests that the SO₂ allowance price effect is both significant and estimable using NEMS-BT, it may be added to supporting material.

^f sources of the historic SO₂ allowance prices are <http://www.epa.gov/airmarkets/progress/alprices.html>, <http://camddataandmaps.epa.gov/gdm/>

^g To be specific with regard to the method, for each simulation the arithmetic change in the allowance price between the standards case and the reference was first computed over the period 2012 to 2030. The percentage change was computed as this average change divided by the average allowance price in the reference case over the same period. After scaling to take into account the specific values of the impact multipliers across simulations (“100X”, “200X”, and “300X” values discussed in Appendix J), the resulting percentage changes were subsequently averaged over the simulations. The percentage change in the allowance price for the 200X case for PTAC equipment was slightly positive; this case was not used in the averaging in order to better reflect a bounding case for this equipment.

16.3 WETLAND, ENDANGERED AND THREATENED SPECIES, AND CULTURAL RESOURCES

DOE’s proposed action is not site-specific, nor would it affect land disturbance or use due to PTACs and PTHPs being installed in commercial buildings. Therefore, none of the proposed TSLs is expected to affect the quality of wetlands, or threatened or endangered species. Further, this action is not expected to impact cultural resources such as historical or archaeological sites.

16.4 SOCIOECONOMIC IMPACTS

DOE's analysis has shown that the increase in the first cost of purchasing a more efficient PTAC or PTHP at the proposed standard level is completely or nearly offset by a reduction in the life-cycle cost (LCC) of owning a more efficient piece of equipment. In other words, the customer will pay less operating costs over the life of the equipment even through the first cost increases. The complete analysis and its conclusions are presented in Chapter 8 of the TSD.

For the sub-group of customers that are independent hotels, DOE determined that the average LCC impact is similar to that for the full sample of customers. Therefore, DOE concludes that the proposed action would have no significant socioeconomic impact. For a complete discussion on the LCC impacts on independent hotels, see Chapter 12 of the TSD.

Table 16.4.1 shows the mean LCC savings for both the full sample of customers and independent hotels as the sub-group for standard-size and non-standard size PTACs and PTHPs.

Table 16.4.1 Mean Life-Cycle Cost Savings for All Customers and Sub-Group, Standard Size PTACs and PTHPs

	Trial Standard Level						
Standard-Size PTACs and PTHPs	TSL 1	TSL 2	TSL 3	TSL A	TSL 4	TSL 5	TSL 6
All Customers	\$6	\$12	\$11	\$14	\$14	\$11	\$7
Independent Hotels	\$4	\$9	\$7	\$10	\$9	\$6	\$1
Non-Standard Size PTACs and PTHPs	TSL 1	TSL 2	TSL 3	TSL 4	TSL 5		
All Customers	\$42	\$43	\$46	\$50	\$52		
Independent Hotels	\$36	\$37	\$38	\$42	\$43		

16.5 ENVIRONMENTAL JUSTICE IMPACTS

According to Executive Order 12898 of February 11, 1994, “Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations,” DOE is required to examine the effect of more stringent energy-efficiency standards on (1) small businesses that either manufacture or use PTAC or PTHP, (2) manufacturers of niche products related to PTAC or PTHP, and (3) small businesses operated by disadvantaged or minority populations.

DOE identified small businesses as a sub-group that possibly could be disproportionately affected by PTAC and PTHP energy conservation standards. As described in the Life-Cycle Cost Subgroup Analysis, Chapter 11 of the TSD, DOE found that there was no disproportionately high and adverse human health or environmental effects on small businesses that would result from the proposed energy conservation standards. DOE believes that above conclusion also applies to minority populations.

16.6 NOISE AND AESTHETICS

Improvements in efficiency of PTAC and PTHP equipment is expected to result from changes in the choice of components and other design features. These changes are described in Chapter 5 of this TSD. Efficiency improvements result from improved heat exchanger designs using increased levels of coppers, and more efficient compressors. These design changes are not expected to change noise levels in comparison to equipment in today’s market. Equipment that is currently manufactured in the existing market that would meet the proposed standards is no louder than less efficient equipment. Changes to the design to improve the efficiency levels are not anticipated to affect the equipment’s aesthetics.

16.7 SUMMARY OF ENVIRONMENTAL IMPACTS

Table 16.7.1 and Table 16.7.2 summarize anticipated environmental impacts for each of the TSLs across all equipment types. Air quality impacts were modeled for each of the TSLs. The summary table shows cumulative changes in emissions for CO₂, NO_x, and mercury over the period 2012 to 2042. Cumulative CO₂, NO_x and Hg emissions show a decrease compared to the reference case.

Upstream fuel cycle emission of CO₂ and NO_x are described but not quantified in section 16.2.6. The text describes potential reductions in fuel cycle emissions as percentage of decreases in power plant emissions. This qualitative approach suggests that upstream fuel cycle emissions would decrease and provides a sense for the magnitude of effects, however DOE does not report actual estimates of the effects. This approach does not address mercury emissions.

Socioeconomic impacts are presented as changes in life cycle costs. No impacts are anticipated in the area of environmental justice; wetlands, endangered and threatened species, and cultural resources; or noise and aesthetics.

Table 16.7.1 Environmental Impact Analysis Results Summary, Standard-Size PTACs and PTHPs

Environmental Effects	Reference Case*	Trial Standard Level						
		1	2	3	A	4	5	6
Cumulative Emission Reductions**								
CO ₂ (Million metric tons)	208,728	-0.049	-0.081	-1.05	-1.06	-1.09	-1.68	-2.34
NO _x (Thousand tons)	67,178	-0.04 to -0.094	-0.07 to -1.64	-0.08 to -2.02	-0.09 to -2.13	-0.09 to -2.25	-0.13 to -3.17	-0.18 to -4.34
Hg (tons)	547.9	0 to -0.017	0 to -0.028	0 to -0.037	0 to -0.037	0 to -0.038	0 to -0.059	0 to -0.082
Fuel-Cycle (Upstream) Emissions	NA	***	***	***	***	***	***	***
Wetlands, Endangered and Threatened Species, Cultural Resources	NA	None	None	None	None	None	None	None
Socioeconomic Impacts - Weighted Mean LCC Savings†								
All Customers	NA	\$6	\$12	\$11	\$14	\$14	\$11	\$7
Independent Hotels	NA	\$4	\$9	\$7	\$10	\$9	\$6	\$1
Environmental Justice	NA	None	None	None	None	None	None	None
Noise and Aesthetics	NA	None	None	None	None	None	None	None

* The reference case values reflect total cumulative emissions and life cycle cost s in the absence of an energy conservation standard.

** Cumulative total is over a time period from 2012 to 2042. Negative values refer to emission reductions.

*** DOE does not report actual estimates of the effects of standards on upstream emissions, but section 16.2.5 provides a sense for the possible magnitude of effects.

† Values refer to life-cycle cost savings over the equipment lifetime.

Table 16.7.2 Environmental Impact Analysis Results Summary, Non-Standard PTACs and PTHPs

Environmental Effects	Reference Case*	Trial Standard Level				
		1	2	3	4	5
Cumulative Emission Reductions**						
CO ₂ (Million metric tons)	208,728	-0.012	-0.014	-0.018	-0.020	-0.029
NO _X (Thousand tons)	67,178	-0.01 to -0.23	-0.01 to -0.28	-0.01 to -0.34	-0.02 to -0.40	-0.02 to -0.55
Hg (tons)	547.9	0 to -0.004	0 to -0.005	0 to -0.006	0 to -0.007	0 to -0.010
Fuel-Cycle (Upstream) Emissions	NA	***	***	***	***	***
Wetlands, Endangered and Threatened Species, Cultural Resources	NA	None	None	None	None	None
Socioeconomic Impacts - Standard Size PTHP, 9000 Btu/h Cooling Capacity, Mean LCC Savings†						
All Customers	\$42	\$43	\$46	\$50	\$52	\$42
Independent Hotels	\$36	\$37	\$38	\$42	\$43	\$36
Environmental Justice	NA	None	None	None	None	None
Noise and Aesthetics	NA	None	None	None	None	None

* The reference case values reflect total cumulative emissions and life cycle cost s in the absence of an energy conservation standard.

** Cumulative total is over a time period from 2012 to 2042. Negative values refer to emission reductions.

*** DOE does not report actual estimates of the effects of standards on upstream emissions, but section 16.2.5 provides a sense for the possible magnitude of effects.

† Values refer to life-cycle cost savings over the equipment lifetime.

REFERENCES

1. DOE. 2006. *Environmental Assessment for Proposed Energy Conservation Standards for Distribution Transformers*. DOE/EA-1565. Washington, D.C.
2. DeLuchi, M. A. *Emissions of Greenhouse Gases from the Use of Transportation Fuels and Electricity*, Volume 2: Appendixes A-S. November, 1993. Argonne National Laboratory. Argonne, IL. Report No. ANL/ESD/TM-22-Vol.2.
3. Energy Information Administration, *Annual Energy Outlook 2008 (Revised Early Release) with Projections to 2030*. 2008: Washington, DC.
<<http://www.eia.doe.gov/oiaf/aeo/>>
4. Intergovernmental Panel on Climate Change (IPCC). *Climate Change 2007 – Impacts, Adaptation and Vulnerability*, Contribution of Working Group II to the Fourth Assessment Report to the IPCC. < <http://www.ipcc-wg2.org/>>
5. Office of Management and Budget, Office of Information and Regulatory Affairs, *2006 Report to Congress on the Costs and Benefits of Federal Regulations and Unfunded Mandates on State, Local, and Tribal Entities*, 2006. Washington, DC.
<http://www.whitehouse.gov/omb/infoereg/2006_cb/2006_cb_final_report.pdf>
6. Ted Gayer and Robert Hahn, “Designing Environmental Policy: Lessons from the Regulation of Mercury Emissions,” *Regulatory Analysis 05-01* (AEI-Brookings Joint Center For Regulatory Studies) p. 31 (2004). A version of this paper was published in the *Journal of Regulatory Economics* in 2006.
7. Tol, Richard S.J. *The marginal damage costs of carbon dioxide emissions: an assessment of the uncertainties*, *Energy Policy* 33 (2005) 2064-2074.
8. Trasande, L., C. Schechter, K.A. Haynes, and P.J. Landrigan, “Applying Cost Analyses to Drive Policy that Protects Children,” *1076 ANN. N.Y. ACAD. SCI.* 911 (2006).